

Troubleshooting Patterns

장애 패턴 분석 및 대응방법

KHAN [apm] – Monitoring 기능



직관적인 실시간
모니터링



신속한 장애 파악
및 예방 기능



운영 관련
예측 및 조치



KHAN [apm] - 클라우드 지원 아키텍처

KHAN [a p m]



KHAN [apm] = Ah ! Provisioning + Monitoring



전문가 수준의 구성 품질

장애 사전 예방

성능 보장

안정된 운영

설치

- 리눅스만 설치되어 있으면 WAS 와 웹서버 등 웹시스템 구축에 필요한 소프트웨어를 자동설치

구성

- WAS 클러스터링, 데이터그리드, 운영 스크립트 등 난이도 높은 구성을 지원
- 개발자/관리자를 위한 운영 가이드 자동 생성

튜닝

- 전문가 수준의 튜닝 (리눅스 커널, 웹서버/ Java/WAS 튜닝)

모니터링

- 시스템과 OS 에 대한 모니터링 뿐만 아니라 Java 나 WAS 까지 포괄적으로 지원
- Openshift/Docker 컨테이너 모니터링

진단/조치

- Threaddump , 네트워크 상태, 웹서버 상태를 분석할 수 있는 진단 도구 제공
- OS/Container 시스템에 대한 연관 분석

Application Performance Management

KHAN [apm] Use Cases

KHAN
[a p m]

미들웨어 트러블 슈팅의 유형

- 미들웨어 기반 서비스에서 흔히 발생하는 문제의 유형에 대해서 실제 문제를 분석한 사례를 통해 원인 및 해결 방법을 파악합니다.



Server Slowdown 현상

서버가 갑자기 느려지는 현상에 대한 원인 분석 방법, 대부분 스레드 덤프 분석을 활용



서버 환경 설정 이슈

서버의 환경 설정값 때문에 발생하는 다양한 문제에 대한 원인 분석



서비스 품질 / 오류 모니터링

사용자가 서비스에 만족하는지 서비스 모니터링, 사용자가 겪는 서비스 오류 모니터링



SQL 쿼리 이슈

SQL 쿼리가 느리거나, 쿼리 오류가 발생할 때 원인 분석



JVM 메모리 Leak

JVM 메모리가 부족하여 발생하는 문제의 원인 분석 방법



Hacking 공격 분석

서비스를 공격하는 해커들의 공격 분석



시스템 메모리 등 자원 고갈

시스템 메모리가 부족할 때 원인 분석



Java Daemon 모니터링

WAS 뿐만 아니라 Java Daemon에 대한 모니터링

미들웨어 트러블 슈팅의 실제 Use Cases

- 미들웨어 기반 서비스에서 흔히 발생하는 문제의 유형에 대해서 실제 문제를 분석한 사례를 통해 원인 및 해결 방법을 파악합니다.

Server Slowdown 현상

- #1 웹사이트 멈춤 현상
- #2 응답속도 느려짐
- #3 #20 느려져 스레드 덤프분석
- #13 인스턴스 하나만 문제 발생

서비스 품질 / 오류 모니터링

- #4 서비스 품질/오류모니터링
- #5 #6 애플리케이션 오류 모니터링

JVM 메모리 Leak

- #7 웹사이트 지연현상
- #8 Native Thread OOM 오류

시스템 메모리 등 자원 고갈

- #9 시스템 메모리 자원 고갈
- #10 시스템 TCP 자원 고갈

서버 환경 설정 이슈

- #11 아파치 웹서버 다운
- #12 쿼리는 빠르지만, 수행시간이 느림

SQL 쿼리 이슈

- #14 쿼리가 느린 경우
- #15 대용량 쿼리로 메모리 이슈
- #16 쿼리가 느린 경우
- #17 데이터베이스 관련 다양한 오류들

Hacking 공격 분석

- #18 해킹 시도 분석

Java Daemon 모니터링

- #19 Java 데몬 사용자 메소드 수행시간 측정

Application Performance Management

#1 웹사이트 멈춤 현상

KHAN
[a p m]

#1 – 웹사이트가 멈추었습니다.

Server Slowdown 현상



1 Queue 에 224 개 쌓임

2 www01 인스턴스에 쌓임

3 APDEX 지수 50% 이하

4 평균응답시간 136 초

5 JVM Heap Usage 가 거의 100%

#1 – JVM Heap Memory

Server Slowdown 현상



- 15일간의 메모리 사용량의 추세를 분석하면, 아래와 같이 점차적으로 증가
- JVM Full GC에 걸리는 시간이 점차적으로 늘어나는 상황




#1 – JVM Heap Memory


Server Slowdown 현상



- 장애시점에서는 JVM에서 Full GC만 발생하고 있어, 다른 요청이 전혀 처리되지 못하는 상황으로 Full GC에 만 10~15초 가량 소요.



- 88.95%의 메모리를 Tomcat의 TagHandlerPool에서 점유하고 있음.
- Tomcat Logger에서 사용하는 287만개의 String 객체가 46.13%의 메모리를 점유



652,216,312 (90.24%) [16] 2 com/sun/jmx/mbeanserver/ClassLoaderRepositorySupport\$LoaderEntry 0x741a1718

- 652,215,864 (90.24%) [56] 10 org/apache/catalina/loader/StandardClassLoader 0x741a0e10
 - 652,161,680 (90.23%) [24] 1 java/util/Vector 0x745fc9a0
 - 652,161,656 (90.23%) [10,240] 1,473 array of java/lang/Object 0x76c8ace0
 - 650,109,968 (89.95%) [72] 3 class org/apache/jasper/runtime/TagHandlerPool 0x56957500
 - 650,109,784 (89.95%) [8] 1 org/apache/juli/logging/DirectJDKLog 0x75531b18
 - 650,109,776 (89.95%) [56] 3 java/util/logging/Logger 0x752b75f0
 - 650,108,224 (89.95%) [40] 8 org/apache/juli/ClassLoaderLogManager 0x741a52b0
 - 650,107,552 (89.95%) [40] 2 java/util/WeakHashMap 0x741a5448
 - 650,107,480 (89.95%) [64] 4 array of java/util/WeakHashMap\$SEntry 0x741a5478
 - 650,016,208 (89.93%) [32] 3 java/util/WeakHashMap\$SEntry 0x741a54c8
 - 649,993,968 (89.93%) [160] 30 org/apache/catalina/loader/WebappClassLoader 0x741a29a8
 - 333,403,576 (46.13%) [11,497,040] 2,874,261 array of java/lang/String 0xa02a2f30
 - 144 (0%) [24] 1 java/lang/String 0x74607c58
 - 128 (0%) [24] 1 java/lang/String 0x746141a8
 - 120 (0%) [24] 1 java/lang/String 0x74614228

Total size

Size

Name

Number of children

Number of parents

Owner address

Owner object

Address

org/apache/juli/logging/DirectJDKLog

java/lang/String

This is a leak suspect
333,403,576 bytes (46.13%) of Java heap is used by 2,874,261 instances of java/lang/String

Application Performance Management


#2

응답속도가 갑자기 늦어짐

KHAN
[a p m]

#2 – Pending Transaction이 급증

Server Slowdown 현상




1 거의 모든 인스턴스에서 Queue 에 쌓임

2 처리시간이 오래 걸린 요청들이 많은 상태임

#2 - 인스턴스의 스레드 덤프 분석

Server Slowdown 현상



1. 해당 인스턴스의 스레드 덤프를 분석
현재 수행중인 스레드가 최대 180초 가량 수행중인 상태
2. 지연되고 있는 트랜잭션(Active Thread)는 대부분 AJP
데이터를 읽고 있는 상태(socketRead)임

#3- 시스템 점검 보고서에서 Native 적용 권장

Server Slowdown 현상



1 Native 사용 점검

| 점검 항목 | 권장값 | 설명 |
|------------------------------|-------|-------------------------------|
| Tomcat Native Component 적용여부 | 적용 안됨 | lib 디렉토리에 파일들이 설치되어 있는지 확인한다. |

※ APR(Apache Portable Runtime)가 설치되면 빠른 성능을 낼 수 있다.



JVM 옵션

GC 옵션 명시 필요

Tomcat Native(APR)

거래량이 많은 경우 APR 을 적용하는 것이 효율적임

5.2 Thread Pool 점검

| 파라미터 | 권장값 | 현재 설정값 | 설명 |
|----------------|---------------|------------|-------------------------|
| AJP Connector | maxThread=250 | 기본값
200 | AJP 로 사용되는 스레드 풀의 개수 |
| HTTP Connector | maxThread=250 | 기본값
200 | HTTP 연결시 사용되는 스레드 풀의 개수 |

- 운영환경에서의 처리량에 따라 스레드 풀의 개수를 설정한다.

\$SERVER_NAME/conf/server.xml

```
<Connector protocol="HTTP/1.1" port="8080" address="%(jboss.bind.address)"
connectionTimeout="20000" redirectPort="8443" URIEncoding="utf-8" />
<Connector protocol="AJP/1.3" port="8009" address="%(jboss.bind.address)"
redirectPort="8443" URIEncoding="utf-8" />
```

오픈나루

16

opennaru.com

9. 점검 총정리

| 구분 | 내용 |
|--------------------|----------------------------------|
| JCP 퍼디미터 | 관두 될 규정 준수 |
| JVM 옵션 | GC 옵션 명시 필요 |
| Tomcat Native(APR) | 거래량이 많은 경우 APR 을 적용하는 것이 효율적임 |
| 웹서버 설정 | Static Content 분리 필요(웹폰트, 영상 파일) |
| 어플리케이션 소스 | xml 404 호출에 대한 어플리케이션 소스 확인 |
| 오류율 | 오류율에 대한 개선 필요 |
| DB Query | 느린 쿼리에 대한 개선 포인트 분석 필요 |

Application Performance Management

#3 웹사이트 지연 현상

KHAN
[a p m]

#3 - Pending Transaction이 급증

Server Slowdown 현상



KHAN [apm]



한국어



Administrator

홈 / WAS / 애플리케이션 / 지연 트랜잭션

WAS

대시보드

Instances

애플리케이션

만족도 지수(APDEX)

실시간 요청 모니터링

트랜잭션 맵(T-Map)

초당처리수(TPS)

액티브 사용자수

지연 트랜잭션

평균응답시간

응답시간

JVM 메모리 비교

액티브 DB 연결

호출 통계

느린 URL 검색

오류율

오류 통계

실시간 요청 모니터링

액티브 사용자수

JVM 메모리 비교

Sum cluster11 cluster12 cluster13 cluster14 cluster21 cluster22 cluster23 cluster24 cluster31 cluster32

WAS >

Trend Analysis

OFF

Current


History

Pending Transactions

15:20분부터 대부분의 인스턴스에 Pending Transaction이 증가하여 16:20에 대부분 지연되고 있는 상황


애플리케이션 그룹별 모니터링 항목
업무별 인스턴스 그룹에 대한 모니터링

From 2017-08-23 To 2017-08-23



#3 - 개별 인스턴스로 분석

Server Slowdown 현상



#3 - 인스턴스의 스레드 덤프 분석

Server Slowdown 현상



cluster11 인스턴스의 스레드 덤프를 분석함

Active Thread : 현재 수행중인 스레드, 최대 120초 가량 수행중인 상태임

KHAN [apm]

홈 / WAS / Instances / cluster11 / 스레드 덤프 분석

Request Velocity

11.0tps
0.01s
140u

cluster11

Satisfying Tolerating Frustrating

DB에서 Property 정보를 읽어오기 위해 lock 0x0000000078d31a7c8을 기다리는 중

Thread Dump Analyzer > 2017-08-23 16:01:25 (AC8F9A35-D5BF-4616-8636-C931493D6B6A)

| # | Lin... | Type | Name | State | URL | Dura... | CPU Ti... | Class | At |
|----|--------|---------------|---------------------|---------|-----------------------|---------|-----------|----------------|----|
| 1 | 53 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | 118,720 | 10.0 | com.wbsoft... | |
| 2 | 119 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /dwrlms/call/plain... | 119,314 | 10.0 | com.wbsoft... | |
| 3 | 204 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /dwrlms/call/plain... | 118,288 | 10.0 | com.wbsoft... | |
| 4 | 289 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /dwrlms/call/plain... | 118,292 | 0.0 | com.wbsoft... | |
| 5 | 374 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Exam.do | 122,084 | 0.0 | org.springf... | |
| 6 | 433 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Common.do | 124,092 | 0.0 | org.springf... | |
| 7 | 479 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | 126,696 | 0.0 | org.springf... | |
| 8 | 525 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | 127,805 | 0.0 | org.springf... | |
| 9 | 571 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | 127,988 | 0.0 | org.springf... | |
| 10 | 617 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | 76,645 | 10.0 | com.wbsoft... | |
| 11 | 683 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | 115,367 | 1.100.0 | org.jboss.e... | |
| 12 | 800 | Active Thread | ajp-0.0.0.0-8009... | BLOCKED | /front/Contents.do | | | | |

Record ID: 526

문제 발생 시점에 자동 수집

KHAN [apm]에서 제공하는 스레드 덤프 분석기를 사용하여 직접 분석

경고정책에 설정한 임계치에 도달하면 자동수집

```
java.lang.Thread.State: BLOCKED (on object monitor)
at com.wbsoft.framework.locale.ReloadableDbMessageSource.getDbProperties(ReloadableDbMessageSource.java:78)
- waiting to lock <0x0000000078d31a7c8> (a java.util.HashMap)
at com.wbsoft.framework.locale.ReloadableDbMessageSource.resolveCode(ReloadableDbMessageSource.java:68)
at com.wbsoft.framework.locale.LocaleAccessor.getMessage(LocaleAccessor.java:118)
at com.wbsoft.framework.locale.LocaleAccessor.getMessage(LocaleAccessor.java:57)
at app.lms.complete.service.impl.FinishServiceImpl.calc_score_private(FinishServiceImpl.java:569)
at app.lms.complete.service.impl.FinishServiceImpl.calc_score_private_lecturehome(FinishServiceImpl.java:374)
```

#3 - 인스턴스의 스레드 덤프 분석


Server Slowdown 현상



해당 스레드에서 DB 연결을 기다리는 Lock

```
15005 "ajp-0.0.0.0-8009-29" daemon prio=10 tid=0x00007fc84cac9000 nid=0x5f52 waiting for monitor entry [0x00007fc86b
15006 java.lang.Thread.State: BLOCKED (on object monitor)
15007   at org.jboss.resource.adapter.jdbc.local.LocalManagedConnectionFactory.createManagedConnection(LocalManaged
15008   - waiting to lock <0x00000007895c5bf0> (a org.jboss.resource.adapter.jdbc.local.LocalManagedConnectionFactory)
15009   at org.jboss.resource.connectionmanager.InternalManagedConnectionPool.createConnectionEventListener(Internal
15010   at org.jboss.resource.connectionmanager.JBossManagedConnectionPool$BasePool.getConnectionEventListner(Internal
15011   at org.jboss.resource.connectionmanager.InternalManagedConnectionPool.getConnection(InternalManagedConnection
15012   at org.jboss.resource.connectionmanager.JBossManagedConnectionPool$BasePool.getConnection(InternalManaged
15013   at org.jboss.resource.connectionmanager.BaseConnectionManager2.getManagedConnection(BaseConnectionManager2
15014   at org.jboss.resource.connectionmanager.TxConnectionManager.getManagedConnection(TxConnectionManager
15015   at org.jboss.resource.connectionmanager.BaseConnectionManager2.allocateConnection(BaseConnectionManager2
15016   at org.jboss.resource.connectionmanager.BaseConnectionManager2$ConnectionManagerProxy.allocateConnection(B
15017   at org.jboss.resource.adapter.jdbc.WrapperDataSource.getConnection(WrapperDataSource.java:96)
15018   at org.springframework.jdbc.datasource.LazyConnectionDataSourceProxy.afterPropertiesSet(LazyConnectionData
15019   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(Abstract
15020   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(Abstract
15021   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(Abstract
15022   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(Abstract
15023   at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:111)
15024   at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingleton
15025   - locked <0x00000007c2841c50> (a java.util.concurrent.ConcurrentHashMap)
15026   at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:169)
15027   at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:111)
15028   at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefini
15029   at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(Be
15030   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertiesValues
15031   at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:111)
15032   at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(Defau
15033   at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(Abstract
15034   at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:150)
15035   - locked <0x00000007c2841c50> (a java.lang.Object)
15036   at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationCo
15037   at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationCo
15038   at com.wbsoft.common.CommonUtil.getXMLBean(CommonUtil.java:609)
15039   at com.wbsoft.framework.locale.ReloadableDbMessageSource.loadDbProperties(ReloadableDbMessageSource.ja
15040   at com.wbsoft.framework.locale.ReloadableDbMessageSource.refreshDbProperties(ReloadableDbMessageSource
15041   at com.wbsoft.framework.locale.ReloadableDbMessageSource.getDbProperties(ReloadableDbMessageSource.ja
15042   - locked <0x000000078d31a7c8> (a java.util.HashMap)
15043   at com.wbsoft.framework.locale.ReloadableDbMessageSource.resolveCode(ReloadableDbMessageSource.java:68
15044   at com.wbsoft.framework.locale.LocalesAccessor.getMessage(LocalesAccessor.java:118)
15045   at com.wbsoft.framework.locale.LocalesAccessor.getMessage(LocalesAccessor.java:79)
15046   at com.wbsoft.common.taglib.MessageTag.getMessage(MessageTag.java:102)
15047   at com.wbsoft.common.taglib.MessageTag.doTag(MessageTag.java:69)
15048   at org.apache.jsp.WEB_002dINF.jsp.front.common.btobLogin_jsp._jsp_meth_wbtag_005fmessage_005f0(btobLogin
15049   at org.apache.jsp.WEB_002dINF.jsp.front.common.btobLogin_jsp._jspService(btobLogin_jsp.java:304)
15050   at org.apache.jasper.runtime.HttpJspBase.service(HttpJspBase.java:70)
15051   at javax.servlet.http.HttpServlet.service(HttpServlet.java:717)
15052   at org.apache.jasper.servlet.JspServlet.service(HttpServlet.java:717)
15053   at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:368)
15054   at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:368)
15055   at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:368)
15056   at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:368)
15057   at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:290)
15058   at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
```

DB 연결을 하기 위해 잡은 Lock
MariaDB의 응답을 기다리는 중



```
Thread Dump Text > 2017-08-23 16:01:25 (AC8F9A35-D5BF-4616-8636-C931493D686A)
18416 java.lang.Thread.State: TIMED_WAITING
18417   at java.net.SocketInputStream.socketRead0(Native Method)
18418   at java.net.SocketInputStream.read(SocketInputStream.java:129)
18419   at java.io.BufferedInputStream.fill(BufferedInputStream.java:218)
18420   at java.io.BufferedInputStream.read(BufferedInputStream.java:258)
18421   at java.io.BufferedInputStream.read(BufferedInputStream.java:317)
18422   - locked <0x00000007b390f70> (a java.io.BufferedInputStream)
18423   at org.mariadb.jdbc.internal.common.packet.buffer.ReadUtil.readFully(ReadUtil.java:82)
18424   at org.mariadb.jdbc.internal.common.packet.buffer.ReadUtil.readFully(ReadUtil.java:92)
18425   at org.mariadb.jdbc.internal.common.packet.RawPacket.nextPacket(RawPacket.java:77)
18426   at org.mariadb.jdbc.internal.common.packet.SyncPacketFetcher.getRawPacket(SyncPacketFetcher.java:67)
18427   at org.mariadb.jdbc.internal.mysql.MySQLProtocol.connect(MySQLProtocol.java:392)
18428   at org.mariadb.jdbc.internal.mysql.MySQLProtocol.connect(MySQLProtocol.java:671)
18429   at org.mariadb.jdbc.Driver.connect(Driver.java:118)
18430   at org.jboss.resource.adapter.jdbc.local.LocalManagedConnectionFactory.getManagedConnection(LocalManaged
18431   at org.jboss.resource.adapter.jdbc.local.LocalManagedConnectionFactory.createManagedConnection(LocalManaged
18432   - locked <0x00000007895c5bf0> (a org.jboss.resource.adapter.jdbc.local.LocalManagedConnectionFactory)
18433   at org.jboss.resource.connectionmanager.InternalManagedConnectionPool.createConnectionEventListener(Internal
18434   at org.jboss.resource.connectionmanager.JBossManagedConnectionPool$BasePool.getConnectionEventListner(Internal
18435   at org.jboss.resource.connectionmanager.InternalManagedConnectionPool.getConnection(InternalManagedConnection
18436   at org.jboss.resource.connectionmanager.JBossManagedConnectionPool$BasePool.getConnection(InternalManaged
18437   at org.jboss.resource.adapter.jdbc.WrapperDataSource.getConnection(WrapperDataSource.java:96)
18438   at org.springframework.jdbc.datasource.LazyConnectionDataSourceProxy.afterPropertiesSet(LazyConnectionData
18439   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(Abstract
18440   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(Abstract
18441   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(Abstract
18442   at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(Abstract
18443   at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:111)
18444   at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingleton
18445   - locked ownable synchronizers:
```

스레드 덤프의 Lock 정보를 Hyper Link로
클릭하여 Root Cause 분석

애플리케이션에서 기다리는 Lock

Application Performance Management

#4

서비스 품질/오류 모니터링


KHAN
[a p m]

#4 - 서비스 품질(만족도 지수) - 1개월간 현황

서비스 품질 / 오류 모니터링



점차적으로 서비스 품질(만족도 지수)이
좋아지고 있음



#4 - 일일 서비스 품질(만족도 지수) 현황

서비스 품질 / 오류 모니터링




#4 - 일일 응답시간 및 오류 분포도(T-Map)

서비스 품질 / 오류 모니터링



출근/퇴근 시간에 응답시간이 느린 URL이 다수
분포함




#4 - 서비스 오류 건수 일일 700~800여건

서비스 품질 / 오류 모니터링



105.xx.xx.155 로 접속한
사용자의 일별 오류 발생 건수



#4 - 서비스 오류 상세 : JSP 오류 패턴 #1

서비스 품질 / 오류 모니터링



| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|------------|--------------|-------------|-------------------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 105.27.156 | 105.27.158 | instance12 | /bms/dct/docpathview.do | 500 | 23,749 | 0 | 0 | 0 | 0 | 13.64 | 2018-01-24 10:21:22.731 |
| WAS | 105.27.156 | 105.27.1216 | instance12 | /bms/dct/viewreport.do | 500 | 1,754 | 405 | 5 | 57 | 0 | 194.00 | 2018-01-24 11:18:58.449 |
| WAS | 105.27.156 | 105.27.13.23 | instance11 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 1,327 | 258 | 2 | 44 | 0 | 57.52 | 2018-01-24 10:54:35.703 |
| WAS | 105.27.157 | 105.27.107 | instance22 | /bms/wct/sendExcel.do | 500 | 1,257 | 55 | 7 | 45 | 0 | 105.93 | 2018-01-24 09:21:12.665 |
| WAS | 105.27.156 | 105.27.1216 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 1,108 | 305 | 4 | 47 | 0 | 55.80 | 2018-01-24 10:37:26.892 |
| WAS | 105.27.157 | 105.27.14 | instance22 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 1,063 | 259 | 4 | 44 | 0 | 64.33 | 2018-01-24 08:50:43.556 |
| WAS | 105.27.157 | 105.27.19 | instance22 | /bms/com/todoportlet.do | 500 | 1,058 | 1,037 | 0 | 40 | 0 | 35.89 | 2018-01-24 08:33:50.325 |
| WAS | 105.27.156 | 105.27.1216 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 964 | 191 | 4 | 41 | 0 | 49.24 | 2018-01-24 10:32:51.798 |
| WAS | 105.27.156 | 105.27.129 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 952 | 339 | 1 | 38 | 0 | 86.03 | 2018-01-24 07:45:50.215 |
| WAS | 105.27.156 | 105.27.1216 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 943 | 155 | 2 | 47 | 0 | 49.16 | 2018-01-24 10:37:06.733 |
| WAS | 105.27.157 | 105.27.14 | instance22 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 937 | 237 | 0 | 47 | 0 | 61.10 | 2018-01-24 10:34:02.012 |

XXXSetOReportPathCU.jsp의 31번째 라인에서 오류 발생

Transaction Detail

Trace

StackTrace

| Name | Value | Name | Value |
|----------------|---|----------------|---|
| Request URL | POST /bms/dct/docpathview.do View URL | Params | |
| Request Host | 105.27.155 View Page | Status Code | 500 |
| Client IP | 105.27.158 User Location | User Agent | Mozilla/5.0 (Windows NT 6.1; Trident/7.0; rv:11.0) like Gecko |
| Start Time | 2018-01-24 10:21:22.731 | End Time | 2018-01-24 10:21:46.480 |
| Duration (ms) | 23,749 | CPU Time (ms) | 13.64 |
| JDBC Time (ms) | 0 | Latency (ms) | 0 |
| Thread Name | http-thread-pool-threads - 44 | Thread ID | 383 |
| IP | 105.27.156 | Instance ID | instance12 |
| Agent Type | WAS | Transaction ID | 16125bd9383-1b7db34408666c5413ec |

Error Message

JBWEB004038: An exception occurred processing JSP page /WEB-INF/jsp/dct/submit/BmsSetOReportPathCU.jsp at line 31

```
28: boolean isFormPath = param.getBoolean("formFlag"); //보고경로로 지정하면 여부
29: boolean isAdmin = param.getBoolean("adminFlag") && (loginVO.getVGroup().contains("4001") || loginVO.getVGroup().contains("4002"));
30: //관리자 권한여부
31: int currentOrder = !isGrpPath && !isFormPath ? param.getInt("currentOrder") : 1; //처리된 경로수
32: int lastOrder = !isGrpPath && !isFormPath ? param.getInt("lastOrder", 1) : 1; //처리완료된 마지막 보고경로
33: int orgPathLength = orgPath.length();
34:
```

#4 - 서비스 오류 상세 : JSP 오류 패턴 #2

서비스 품질 / 오류 모니터링



| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|--------------|---------------|-------------|-------------------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 105.27.1.156 | 105.27.173.8 | instance12 | /bms/dct/docpathview.do | 500 | 23,749 | 0 | 0 | 0 | 0 | 13.64 | 2018-01-24 10:21:22.731 |
| WAS | 105.27.1.156 | 105.27.88.216 | instance12 | /bms/dct/viewreport.do | 500 | 1,754 | 405 | 5 | 57 | 0 | 194.00 | 2018-01-24 11:18:58.449 |
| WAS | 105.27.1.156 | 105.27.173.23 | instance11 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 1,327 | 258 | 2 | 44 | 0 | 57.52 | 2018-01-24 10:54:35.703 |
| WAS | 105.27.1.157 | 105.27.4.107 | instance22 | /bms/wct/sendExcel.do | 500 | 1,257 | 55 | 7 | 45 | 0 | 105.93 | 2018-01-24 09:21:12.665 |
| WAS | 105.27.1.156 | 105.27.88.216 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 1,108 | 305 | 4 | 47 | 0 | 55.80 | 2018-01-24 10:37:26.892 |
| WAS | 105.27.1.157 | 105.27.171.4 | instance22 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 1,063 | 259 | 4 | 44 | 0 | 64.33 | 2018-01-24 08:50:43.556 |
| WAS | 105.27.1.157 | 105.27.56.9 | instance22 | /bms/com/todoportlet.do | 500 | 1,058 | 1,037 | 0 | 40 | 0 | 35.89 | 2018-01-24 08:33:50.325 |
| WAS | 105.27.1.156 | 105.27.88.216 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 964 | 191 | 4 | 41 | 0 | 49.24 | 2018-01-24 10:32:51.798 |
| WAS | 105.27.1.156 | 105.27.80.29 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 952 | 339 | 1 | 38 | 0 | 86.03 | 2018-01-24 07:45:50.215 |
| WAS | 105.27.1.156 | 105.27.88.216 | instance12 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 943 | 155 | 2 | 47 | 0 | 49.16 | 2018-01-24 10:37:06.733 |
| WAS | 105.27.1.157 | 105.27.171.4 | instance22 | /bms/dctenf/BmsDctEnfMultiAccept.do | 500 | 937 | 227 | 0 | 42 | 0 | 61.10 | 2018-01-24 10:34:02.012 |

Page 1 of 3

View 1 - 100 of 220

XXXToDoCntPortlet.jsp의 102번째 라인에서 오류 발생

Transaction Detail

Trace

StackTrace

| | | | |
|----------------|--|----------------|-----------------------------------|
| Client IP | 105.27.56.9 | User Location | ... |
| Start Time | 2018-01-24 08:33:50.325 | End Time | 2018-01-24 08:33:51.383 |
| Duration (ms) | 1,058 | CPU Time (ms) | 35.89 |
| JDBC Time (ms) | 1,037 | Latency (ms) | 0 |
| Thread Name | http-thread-pool-threads - 104 | Thread ID | 399 |
| IP | 105.27.1.157 | Instance ID | instance22 |
| Agent Type | WAS | Transaction ID | 161255b1e23-18490-c6f2c7c7a9a01a1 |
| Error Message | JBWE004038: An exception occurred processing JSP page /WEB-INF/jsp/com/BmsToDoCntPortlet.jsp at line 102 | | |

JBWE004038: An exception occurred processing JSP page /WEB-INF/jsp/com/BmsToDoCntPortlet.jsp at line 102

```
99:      < %
100:          int pageCount = 0;
101:          for ( int i = 0; i < itemVO.length; i++ ) {
102:              if("5".equals(itemVO[i].getItem2()) && "5".equals(itemSysVO[i].getItem2()) && "008".equals(itemVO[i].getConfigitemid())) {
103:                  pageCount++; height +=20;%>
104:      < li>
105:          < span>< a href="#" onclick="parent.load_lnb('MGRP_ONLINE', 'DCT_DCH_WIL'); return(false);">발송대기함 : < /a>
```

Stacktrace:

```
at org.apache.jsp.WEB_002dINF.jsp.com.BmsToDoCntPortlet.jsp._jspService(BmsToDoCntPortlet.jsp.java:288)
at org.apache.jasper.runtime.HttpJspBase.service(HttpJspBase.java:69)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:853)
at org.apache.jasper.servlet.JspServletWrapper.service(JspServletWrapper.java:365)
```


Application Performance Management

#5, #6
오류 모니터링

KHAN
[a p m]


#5 - 404 오류가 다수 발생

서비스 품질 / 오류 모니터링



#6 – 서비스 500 오류 발생

서비스 품질 / 오류 모니터링



#6 - 정규식 패턴 그룹 검색시 500 오류 발생

서비스 품질 / 오류 모니터링



Transactions > 2017-12-21 01:30:04 ~ 2017-12-21 01:30:40 > 1020ms ~ 6410ms Export to Excel tid:

| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|---------------|----------------|-------------|---------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 192.168.2.85 | 223.33.160.241 | myacv-1-85 | /log/tracking | 500 | 3,219 | 0 | 0 | 0 | 0 | 0.00 | 2017-12-21 10:30:02.310 |
| WAS | 192.168.2.128 | 223.33.160.241 | myacv-2-128 | /log/tracking | 500 | 2,906 | 0 | 0 | 0 | 0 | 0.00 | 2017-12-21 10:30:02.481 |
| WAS | 192.168.2.195 | 223.33.160.241 | myacv-1-195 | /log/tracking | 500 | 1,969 | 0 | 0 | 0 | 0 | 15.63 | 2017-12-21 10:30:05.308 |
| WAS | 192.168.2.147 | 223.33.160.241 | myacv-2-147 | /log/tracking | 500 | 1,437 | 0 | 0 | 0 | 0 | 0.00 | 2017-12-21 10:30:05.959 |
| WAS | 192.168.2.21 | 223.33.160.241 | myacv-1-21 | /log/tracking | 500 | 3,813 | 0 | 0 | 0 | 0 | 15.63 | 2017-12-21 10:30:06.280 |
| WAS | 192.168.2.174 | 223.33.160.241 | myacv-1-174 | /log/tracking | 500 | 1,188 | 0 | 0 | 0 | 0 | 15.63 | 2017-12-21 10:30:07.410 |
| WAS | 192.168.2.51 | 223.33.160.241 | myacv-2-51 | /log/tracking | 500 | 2,829 | 0 | 0 | 0 | 0 | 0.00 | 2017-12-21 10:30:07.850 |
| WAS | 192.168.2.254 | 223.33.160.241 | myacv-2-254 | /log/tracking | 500 | 2,829 | 0 | 0 | 0 | 0 | 0.00 | 2017-12-21 10:30:08.218 |

클라이언트 IP가 동일함

2017년 12월 19일 : 다수의 인스턴스에서 500 오류가 발생
/log/tracking URL에서 HTML 결과를 정규식을 이용하여 처리하려다 정규식 그룹이 존재하지 않아 오류가 발생함 → 코드 수정 필요함

Transaction Detail

| Name | Value |
|----------------|--|
| Request URL | POST /log/tracking View URL |
| Request Host | my.acuvue.co.kr View Page |
| Client IP | 223.33.160.241 User Location |
| Start Time | 2017-12-21 01:30:02.481 |
| Duration (ms) | 2,906 |
| JDBC Time (ms) | 0 |
| Thread Name | http-bio-80-exec-412 |
| IP | 192.168.2.128 |
| Agent Type | WAS |
| Error Message | Request processing failed; nested exception is java.lang.IllegalArgumentException: Illegal group reference
at java.util.regex.Matcher.appendReplacement(Matcher.java:808)
at com.ace.utils.admin.HTMLInputFilter.validateEntities(HTMLInputFilter.java:458)
at com.ace.utils.admin.HTMLInputFilter.filter(HTMLInputFilter.java:186)
at com.ace.utils.admin.RequestWrapper.filter(RequestWrapper.java:46)
at com.ace.utils.admin.RequestWrapper.getParameterValues(RequestWrapper.java:20) |

해결책 :

1. 문제가 발생할 때 해당 HTML을 로깅하여 원인 확인
2. 해당 애플리케이션에서 정규식 오류가 발생하는 경우에 대한 오류 처리 보강



JVM 메모리 Leak

opennaru

Application Performance Management

#7, #8
웹사이트 지연 현상


KHAN
[a p m]

#7 - JVM 메모리 17일간의 History 현황




메모리 Leak 현상

Java 인스턴스의 Heap 메모리가 점차 증가함



#7 - JVM 메모리를 점유한 객체 분석



Custom Tag중에 TryCatchFinally를 구현하지 않은 Tag들이 재사용되지 않아 문제의 원인이 됨

#8 - OutOfMemory 오류 발생 – Native Thread

Transactions > 2017-12-19 07:05:06 ~ 2017-12-19 07:05:27 > 0ms ~ 984ms Export to Excel tid :

| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|---------------|-----------------|-------------|---------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 192.168.6.130 | 211.178.178.178 | myacv-6-130 | /ecpWeb/w2/getProductInfo | 500 | 31 | 0 | 0 | 0 | 0 | 15.63 | 2017-12-19 16:05:20.611 |

2017년 12월 19일 : 다수의 인스턴스에서 OutOfMemory 오류가 발생
MS SQL JDBC 드라이버에서 OS 스레드를 생성하지 못하여 발생함

Transaction Detail

| Name | Value | Name | Value |
|----------------|--|----------------|---------------------------------|
| Request URL | POST /ecpWeb/w2/getProductInfo View URL | Params | |
| Request Host | Ecp-App-PRD-3 9.ap-northeast-1.elb.amazonaws.com View Page | Status Code | 500 |
| Client IP | 211.178.178.178 User Location | User Agent | |
| Start Time | 2017-12-19 07:05:20.611 | End Time | 2017-12-19 07:05:20.642 |
| Duration (ms) | 31 | CPU Time (ms) | 15.63 |
| JDBC Time (ms) | 0 | Latency (ms) | 0 |
| Thread Name | http-bio-80-exec-1020 | Thread ID | 748158 |
| IP | 192.168.6.130 | Instance ID | myacv-6-130 |
| Agent Type | WAS | Transaction ID | 1606d97363d-fdc6b45c13c9e603896 |

Error Message

```
Handler processing failed; nested exception is java.lang.OutOfMemoryError: unable to create new native thread
at java.lang.Thread.start0(Thread.java:-2)
at java.lang.Thread.start(Thread.java:691)
at com.microsoft.sqlserver.jdbc.TimeoutTimer.start(IOBuffer.java:5539)
at com.microsoft.sqlserver.jdbc.TDSCCommand.startResponse(IOBuffer.java:6137)
at com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.doExecutePreparedStatement(SQLServerPreparedStatement.java:402)
```


#8 - OutOfMemory 오류 발생 – Native Thread

JVM 메모리 Leak



2017년 12월 19일 : 다수의 인스턴스에서 OutOfMemory 오류가 발생
MS SQL JDBC 드라이버에서 OS 스레드를 생성하지 못하여 발생함
쿼리 실행 중에도 발생함

Transactions > 2017-12-19 07:05:06 ~ 2017-12-19 07:05:27 > 0ms ~ 984ms

| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) |
|------------|---------------|-----------------|-------------|---------------------------|--------|--------------|
| WAS | 192.168.1.130 | 211.226.117.178 | myacv-6-130 | /ecpWeb/w2/getProductInfo | 500 | 31 |

Transaction Detail Trace StackTrace


```
[Num.][ Start Time | Elapsed | % | Excludi | A-Gab | CPUTime | Method Call
-----|-----|-----|-----|-----|-----|-----
[ 1][07:05:20.611] 31| 100| 15| 0| 15.6| + org.apache.catalina.connector.CoyoteAdapter.service()
[ 2][07:05:20.611] 16| 52| 0| 16| 15.6| + com.ace.filter.CORSFilter.doFilter()
[ 3][07:05:20.611] 16| 52| 0| 16| 15.6| + com.ace.utils.admin.XssFilter.doFilter()
[ 4][07:05:20.611] 16| 52| 0| 16| 15.6| + org.apache.tomcat.websocket.server.WsFilter.doFilter()
[ 5][07:05:20.611] 16| 52| 0| 16| 15.6| + org.springframework.web.servlet.FrameworkServlet.service()
[ 6][07:05:20.611] 16| 52| 0| 16| 15.6| + org.springframework.web.servlet.DispatcherServlet.doService()
[ 7][07:05:20.627] 0| 0| 0| 0| 0.0| + com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.execute()
[ 8][07:05:20.627] 0| 0| 0| 0| 0.0| + com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.execute()

> Query :
SELECT
A.AccountNumber AS AccountNumber, A.OutletNumber AS OutletNumber, AccountPwd, A.AccountId AS AccountId, ISNULL(AddressLine2, '') AS AddressLine2, ISNULL(AddressLine3, '') AS AddressLine3, B.AccountInfo AS AccountInfo,
GoogleMapX, GoogleMapY, EmailAddress, PhoneNumber, MobileNumber, FaxNumber, StoreNumber
FROM Account A LEFT OUTER JOIN AccountInfo B ON A.AccountId = B.AccountId
WHERE (A.ACMSConvertYN = 'Y' OR A.OutletNumber IN ('7777784'))

AND A.OutletNumber = ?

[ 9][07:05:20.627] 0| 0| 0| 0| 0.0| + com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.execute()
> DB : URL: jdbc:sqlserver://52.193.49.249:1433;authenticationScheme=nativeAuthentication;xopenStates=false;
onSeBuffering=adaptive;packetSize=8000;multiSubnetFailover=false;loginTimeout=15;lockTimeout=1;lastUpdateCount=true;encrypt=false;disableStatementPooling=true;databaseName=
> Query : SELECT A.AccountNumber AS AccountNumber, A.OutletNumber AS OutletNumber, AccountPwd, A.AccountId AS AccountId, ISNULL(AddressLine2, '') AS AddressLine2, ISNULL(AddressLine3, '') AS AddressLine3, B.AccountInfo AS AccountInfo, GoogleMapX, GoogleMapY, EmailAddress, PhoneNumber, MobileNumber, FaxNumber
= 'Y' OR A.OutletNumber IN ('7777784')) AND A.OutletNumber = ?
> Params: '6243918'
> Mapped: SELECT A.AccountNumber AS AccountNumber, A.OutletNumber AS OutletNumber, AccountPwd, A.AccountId AS AccountId, ISNULL(AddressLine2, '') AS AddressLine2, ISNULL(AddressLine3, '') AS AddressLine3, B.AccountInfo AS AccountInfo, GoogleMapX, GoogleMapY, EmailAddress, PhoneNumber, MobileNumber, FaxNumber
= 'Y' OR A.OutletNumber IN ('7777784')) AND A.OutletNumber = '6243918'
> SQLERR: unable to create new native thread
[ 10][07:05:20.627] 0| 0| 0| 0| 0.0| + com.microsoft.sqlserver.jdbc.SQLServerConnection.close()
```

해결책 : OS의 사용자의 Max Native 스레드 갯수를
확인해야 함



시스템 자원 고갈

opennaru


Application Performance Management

#9 시스템 자원 고갈

KHAN
[a p m]

#9 – System 메모리

시스템 자원 고갈




시스템 메모리와 SWAP 메모리 표시
최대 메모리/SWAP과 현재 사용량 표시

1 사용 가능한 메모리를 거의 소진

2 Swap 메모리를 500MB 사용

#9 – System 메모리

시스템 자원 고갈



History를 통해 메모리 사용량 추이분석
90일 데이터를 보관하여 사용량 추이 분석

1



3

```
[root@cnnet-naru-was03 ~]# cat /proc/meminfo
MemTotal:      16005268 kB
MemFree:       173784 kB
MemAvailable:  4107456 kB
Buffers:       7592 kB
Cached:       281896 kB
SwapCached:    110236 kB
Active:        10058144 kB
Inactive:      1857388 kB
Active(anon):  9907128 kB
Inactive(anon): 1524664 kB
Active(file):  151016 kB
Inactive(file): 132716 kB
Unevictable:    0 kB
Mlocked:        0 kB
SwapTotal:     2097148 kB
SwapFree:      1461308 kB
Dirty:         180 kB
Writeback:      0 kB
AnonPages:     11389316 kB
Mapped:        22120 kB
Shmem:         5652 kB
Slab:          3937136 kB
SReclaimable:  3903356 kB
SUnreclaim:    33380 kB
```

2

1

리눅스 운영체제의 가용 메모리가
829MB밖에 없는 상황

2

리눅스 운영체제의 SWAP 메모리를
533MB가량 사용하고 있음

3

/proc/meminfo 를 확인하여 상세 메모리
사용량 조사

#9 - [참조] 리눅스 명령으로 메모리 모니터링

시스템 자원 고갈



Linux 메모리 관리방식

- Linux 커널에서는 Disk I/O를 줄여 성능을 향상시키기 위해 가용한 메모리를 최대한 캐시 용도로 사용함(used)
- used는 필요시 즉시 해제하여 사용할 수 있는 buffers 및 cached등을 포함하여 계산됨
- 리눅스에서는 일정 시간 후 메모리의 95% 이상이 used로 표시됨
- Linux에서의 가용 메모리는 free + buffers + cached로 파악해야 함

```
top - 13:18:19 up 1 day, 15:17, 5 users, load average: 2.26, 2.04, 1.93
Tasks: 554 total, 1 running, 541 sleeping, 0 stopped, 12 zombie
Cpu(s): 28.1% user, 0.0% sys, 0.0% ni, 65.5% id, 0.0% wa, 0.0% hi, 0.4% si, 0.0% st
Mem: 5764360k total, 57279644k used, 364012k free, 4860000k buffers
Swap: 16777212k total, 43076k used, 16734136k free, 14568280k cached

  PID USER      PR  NI  VIRT  RES  SHR  S %CPU  %MEM    TIME+  COMMAND
 26803 topasibe  20   0 10.2g 2.5g 10m  S 185.2  4.6 270:23.91 java
 27292 topasibe  20   0  9.9g 2.5g 10m  S 150.4  4.6 270:20.61 java
 28969 topasibe  20   0 9918m 2.4g 10m  S 45.4  4.4 86:25.93 java
 28415 topasibe  20   0 9984m 2.4g 10m  S 43.1  4.3 86:52.44 java
 29459 topasibe  20   0 9919m 2.4g 10m  S 39.1  4.3 87:40.68 java
 27824 topasibe  20   0 9919m 2.4g 10m  S 30.8  4.3 85:39.91 java
 2233 topasibe  20   0 8883m 1.5g 10m  S 29.5  2.6 7:05.36 java
 1132 topasibe  20   0 8948m 1.5g 10m  S 9.9  2.7 7:21.24 java
 5389 khar      20   0 2366m 167m 9952  S 0.0  0.3 120:38.31 java
 29700 daemon   20   0 1177m 177m 177m  S 0.0  0.3 6:00.62 kcpd
 9606 daemon   20   0 2011m 10m 2170  S 0.0  0.0 6:00.62 kcpd
 32692 topasibe  20   0 7984m 1.7g 10m  S 1.3  3.1 22:24.71 java
 28496 daemon   20   0 2819m 10m 2170  S 0.0  0.0 6:00.62 kcpd
 729 topasibe  20   0 5597m 322m 322m  S 0.0  0.0 6:00.62 kcpd
 1667 topasibe  20   0 9208m 1.4g 10m  S 0.7  2.6 6:51.70 java
 29329 root      20   0 15424 1596 928  R 0.7  0.0 0:00.09 top
 30208 topasibe  20   0 9099m 620m 9856  S 0.7  1.1 17:25.62 java
 30483 topasibe  20   0 9057m 313m 9828  S 0.7  0.6 13:00.58 java
 30818 topasibe  20   0 9059m 622m 9864  S 0.7  1.1 16:46.74 java
 31036 topasibe  20   0 9099m 422m 9832  S 0.7  0.7 14:54.65 java
 13 root      20   0 0 0 0  S 0.3  0.0 0:23.32 ksoftirqd/2
 1282 topasibe  20   0 7254m 1.6g 10m  S 0.3  2.9 9:28.78 java
 2180 root      20   0 0 0 0  S 0.3  0.0 5:12.36 kondemand/0
 2181 root      20   0 0 0 0  S 0.3  0.0 3:51.14 kondemand/1
 2182 root      20   0 0 0 0  S 0.3  0.0 3:28.49 kondemand/2
 2183 root      20   0 0 0 0  S 0.3  0.0 3:10.82 kondemand/3
 2184 root      20   0 0 0 0  S 0.3  0.0 3:06.81 kondemand/4
 2185 root      20   0 0 0 0  S 0.3  0.0 7:53.11 kondemand/5


root@was:/root# free -m
              used        free      shared   buffers   cached
Mem:           56292          322           1          4746     14251
-/+ buffers/cache:    36972      19320
Swap:          16383           42         16341
```

- 1 free 메모리가 약 3.6G 표시됨
- 2 사용가능한 buffers, cache가 각각 4.8G, 14.5G로 표시

- 3 free -m 명령으로 보면 free 메모리가 322M 가량으로 표시됨
- 4 buffers, cached가 각각 4.7G, 14.251G 표시됨

#9 - [참조] 리눅스 명령으로 메모리 모니터링

시스템 자원 고갈



리눅스 운영체제의 가용 메모리를
Free + Buffers + Cached로
계산하여 표시함

물리적 메모리를 실제
애플리케이션 사용한
메모리와 가용한
메모리로 표현

Swap 메모리를
사용한 메모리와
가용한 메모리로 표현

#9 – System 메모리

시스템 자원 고갈



#9 – System 메모리

시스템 자원 고갈



#9 – Linux 커널 캐시 메모리 상태(slabtop)

시스템 자원 고갈



```
[root@cnnet-naru-was03 ~]# cat /proc/meminfo
MemTotal: 16005268 kB
MemFree: 173784 kB
MemAvailable: 4107456 kB
Buffers: 7592 kB
Cached: 281896 kB
SwapCached: 110236 kB
Active: 10058144 kB
Inactive: 1657380 kB
Active(anon): 9907128 kB
Inactive(anon): 1524604 kB
Active(file): 1000000 kB
Inactive(file): 1000000 kB
Unevictable: 0 kB
Mlocked: 0 kB
SwapTotal: 2097148 kB
SwapFree: 2097148 kB
Dirty: 180 kB
Writeback: 0 kB
AnonPages: 11389316 kB
Mapped: 22120 kB
Shmem: 5652 kB
Slab: 3937136 kB
SReclaimable: 3903356 kB
SUnreclaim: 33780 kB
KernelStack: 20144 kB
PageTables: 30152 kB
NFS_Unstable: 0 kB
Bounce: 0 kB
WritebackTmp: 0 kB
CommitLimit: 10099780 kB
Committed_AS: 11402420 kB
VmallocTotal: 34359738367 kB
VmallocUsed: 41780 kB
VmallocChunk: 34359690748 kB
HardwareCorrupted: 0 kB
AnonHugePages: 8792064 kB
HugePages_Total: 0
HugePages_Free: 0
HugePages_Rsvd: 0
HugePages_Surp: 0
Hugepagesize: 2048 kB
DirectMap4k: 61440 kB
DirectMap2M: 16707584 kB
```

리눅스 커널 메모리중 slab 메모리를
3.9GB 사용하고 있음
→ slabtop으로 분석 필요



```
Active / Total Objects (% used) : 9165609 / 9198068 (99.6%)
Active / Total Slabs (% used) : 403490 / 403490 (100.0%)
Active / Total Caches (% used) : 73 / 99 (73.7%)
Active / Total Size (% used) : 3736800.07K / 3753067.05K (99.6%)
Minimum / Average / Maximum Object : 0.01K / 0.41K / 8.00K
```

| OBJS | ACTIVE | USE | OBJ SIZE | SLABS | OBJ/SLAB | CACHE | SIZE | NAME |
|---------|---------|------|----------|--------|----------|----------|------------------------|------|
| 4461219 | 4460718 | 99% | 0.19K | 212439 | 21 | 849756K | dentry | |
| 4442184 | 4441608 | 99% | 0.64K | 185091 | 24 | 2961456K | proc_inode_cache | |
| 31232 | 31232 | 100% | 0.01K | 61 | 51 | 244K | kmalloc-8 | |
| 25344 | 25344 | 100% | 0.02K | 99 | 256 | 396K | kmalloc-16 | |
| 22032 | 22032 | 100% | 0.11K | 612 | 36 | 2448K | sysfs_dir_cache | |
| 17920 | 7855 | 43% | 0.57K | 640 | 28 | 10240K | radix_tree_node | |
| 17472 | 14212 | 81% | 0.06K | 273 | 64 | 1092K | kmalloc-64 | |
| 16000 | 15165 | 94% | 0.03K | 125 | 128 | 500K | kmalloc-32 | |
| 11832 | 11832 | 100% | 0.08K | 232 | 51 | 928K | selinux_inode_security | |
| 11520 | 11520 | 100% | 0.03K | 90 | 128 | 360K | jbd2_revoke_record_s | |
| 10633 | 5897 | 55% | 1.03K | 343 | 31 | 10976K | nfs_inode_cache | |
| 10323 | 9494 | 91% | 0.21K | 279 | 37 | 2232K | vm_area_struct | |
| 9690 | 9690 | 100% | 0.05K | 114 | 85 | 456K | shared_policy_node | |
| 8364 | 8264 | 98% | 0.06K | 118 | 64 | 472K | anon_vma | |
| 8184 | 5195 | 63% | 1.02K | 264 | 31 | 8448K | ext4_inode_cache | |
| 7911 | 7790 | 98% | 0.06K | 118 | 64 | 472K | anon_vma | |
| 7552 | 5679 | 75% | 0.06K | 118 | 64 | 472K | anon_vma | |
| 7488 | 6487 | 86% | 0.25K | 234 | 32 | 1872K | kmalloc-256 | |
| 7182 | 6580 | 91% | 0.09K | 171 | 42 | 684K | kmalloc-96 | |
| 6825 | 3848 | 56% | 0.10K | 175 | 39 | 700K | buffer_head | |
| 6464 | 6464 | 100% | 0.06K | 101 | 64 | 404K | ext4_free_data | |
| 6290 | 6290 | 100% | 0.12K | 185 | 34 | 740K | fsnotify_event | |
| 6272 | 6272 | 100% | 0.07K | 112 | 56 | 448K | Acpi-ParsetExt | |
| 4672 | 3848 | 82% | 0.12K | 146 | 32 | 584K | kmalloc-128 | |
| 4137 | 3914 | 94% | 0.19K | 197 | 21 | 788K | kmalloc-192 | |
| 2560 | 2329 | 90% | 0.50K | 80 | 32 | 1280K | kmalloc-512 | |
| 2448 | 2448 | 100% | 0.04K | 24 | 102 | 96K | Acpi-Namespace | |
| 2336 | 2236 | 95% | 1.00K | 73 | 32 | 2336K | kmalloc-1024 | |
| 2028 | 2028 | 100% | 0.10K | 52 | 39 | 208K | blkdev_ioc | |
| 1825 | 1796 | 98% | 0.62K | 73 | 25 | 1168K | sock_inode_cache | |
| 1440 | 1440 | 100% | 0.66K | 60 | 24 | 960K | shmem_inode_cache | |
| 1404 | 1224 | 87% | 0.11K | 39 | 36 | 156K | jbd2_journal_head | |

리눅스 커널 메모리중 dentry 840MB 와
proc_inode_cache 2960MB를 사용하고 있음


#9 – 시스템 CPU 사용률

시스템 자원 고갈




#10 - 머신의 TCP 연결 상태(3개월간)

시스템 자원 고갈



#10 - JVM 인스턴스의 파일 오픈수(3개월간)

시스템 자원 고갈




Application Performance Management

#11, #12 서버 환경 설정 이슈

KHAN
[a p m]

#11 - 현상 : WAS로 사용자가 들어오지 못함

서버 환경 설정 이슈




#11 - 원인 : Apache 웹 서버 다운

서버 환경 설정 이슈





Apache 웹 서버 모니터링 기능

Requests Per Second, Traffic, Worker 상태, 연결상태 모니터링,
mod_jk / mod_cluster 워커 상태 모니터링 및 유입제어 기능 제공



WEB 서버 모니터링 – 실시간 View

서버 환경 설정 이슈



서버정보
트래픽
TPS
워커 상태
연결 상태 모니터링

#12 - SQL 쿼리는 빠르지만, 수행시간이 느림

서버 환경 설정 이슈




서비스 지연 상황

- 일시 : 2018-01-19T13:20:33
- Instance : instance11

서비스 지연시점에 자동으로 생성된 Thread Dump를
이용하여 분석함

85초~100초 가량
실행 중인 상황

Static 콘텐츠(.gif)가 WAS로 유입되고 있음
Web 서버에서 처리될 수 있도록 분리해야 함



Q Thread Dump Analyzer > None

III All Fields Search Analyze From Text Load from URL

| # | Line# | Type | Name | State | URL | Durati... | PU Ti... | Class |
|----|-------|---------------|-------------------|---------------|---------------------------------|-----------|----------|-------|
| 5 | 1,218 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_left.gif | 86,057 | 0.1 | |
| 6 | 1,968 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/close.gif | 86,060 | 0.1 | |
| 7 | 2,014 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_right.gif | 95,687 | 0.1 | |
| 8 | 2,140 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_right2.gif | 55,384 | 0.1 | |
| 9 | 2,202 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_left2.gif | 76,025 | 0.1 | |
| 10 | 2,280 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_left.gif | 55,384 | 0.1 | |
| 11 | 2,342 | Active Thread | http-thread-pool- | WAITING | /blg/message/messageAlarm... | 90,807 | 0.1 | |
| 12 | 2,388 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_right.gif | 54,834 | 0.2 | |
| 13 | 2,482 | Active Thread | http-thread-pool- | WAITING | /bms/dclist/ctrldeptviewsour... | 100,253 | 0.1 | |
| 14 | 2,624 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_left2.gif | 86,058 | 0.1 | |
| 15 | 2,718 | Active Thread | http-thread-pool- | TIMED_WAITING | /bms/dclist/ctrldeptviewsour... | 104,763 | 2.9 | |
| 16 | 2,980 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/close.gif | 76,025 | 0.1 | |
| 17 | 3,010 | Active Thread | http-thread-pool- | WAITING | /bms/dclist/ctrldeptviewsour... | 35,109 | 0.1 | |
| 18 | 3,088 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_left2.gif | 95,690 | 0.1 | |
| 19 | 3,358 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/close.gif | 55,386 | 0.1 | |
| 20 | 3,708 | Active Thread | http-thread-pool- | WAITING | /ref/images/cal/ico_left.gif | 76,024 | 0.1 | |

Record ID: 703 5-21 of 1,048


Thread Dump Text > None

```
2716 - None
2717
2718 "http-thread-pool-threads - 140" prio=10 tid=0x00007f4cbc0cd000 nid=0x13ce waiting on condition [0x00007f4b...
2719 java.lang.Thread.State: TIMED_WAITING (parking)
2720 at sun.misc.Unsafe.park(Native Method)
2721 - parking to wait for <0x00000007d4a5a370> (a java.util.concurrent.locks.AbstractQueuedSynchronizer$Con...
2722 at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:226)
2723 at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchroniz...
2724 at org.jgroups.blocks.Request.responsesComplete(Request.java:197)
2725 at org.jgroups.blocks.Request.execute(Request.java:89)
2726 at org.jgroups.blocks.MessageDispatcher.cast(MessageDispatcher.java:337)
2727 at org.jgroups.blocks.mux.MuxRpcDispatcher.cast(MuxRpcDispatcher.java:110)
2728 at org.jgroups.blocks.MessageDispatcher.castMessage(MessageDispatcher.java:249)
2729 at org.jgroups.blocks.RpcDispatcher.callRemoteMethods(RpcDispatcher.java:165)
2730 at org.jboss.as.clustering.impl.CoreGroupCommunicationService.callMethodOnCluster(CoreGroupCommunication...
2731 at org.jboss.as.clustering.lock.AbstractClusterLockSupport.lock(AbstractClusterLockSupport.java:151)
2732 at org.jboss.as.clustering.lock.SharedLocalYieldingClusterLockManager.lock(SharedLocalYieldingClusterLo...
2733
2734 at org.jboss.as.web.session.ClusteredSession.acquireSessionOwnership(ClusteredSession.java:520)
2735 at org.jboss.as.web.session.ClusteredSession.access(ClusteredSession.java:488)
2736 at org.apache.catalina.connector.Request.doGetSession(Request.java:2638)
2737 at org.apache.catalina.connector.Request.getSession(Request.java:2382)
2738
2739 at org.jboss.as.web.security.SecurityContextAssociationValve.invoke(SecurityContextAssociationValve.java...
2740 at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:150)
2741 at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:97)
2742 at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:102)
2743 at com.opennaru.khan.stuckthread.StuckThreadDetectionValve.invoke(StuckThreadDetectionValve.java:205)
2744
2745 at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:344)
2746 at org.apache.coyote.ajp.AjpProcessor.process(AjpProcessor.java:473)
2747 at org.apache.coyote.ajp.AjpProtocol$AjpConnectionHandler.process(AjpProtocol.java:454)
2748 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1145)
2749 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:615)
```

WAS 세션을 찾으려 대기중인 상황
(사용자 요청 분배 문제 : Sticky Session)

#12 - 운영 서버 시스템 구성 변경 방안


서버 환경 설정 이슈



#12 - 참고] L4의 Load Balancing 알고리즘


서버 환경 설정 이슈

Round Robin 방식




각 서버에 요청을 순서대로 전송

Least Connection 방식



부하가 적은 서버에 요청을 전송

Hash 방식



요청자 IP를 Hash하여 동일한 User는 동일한 서버에 요청을 전송

사용자 세션을 유지(로그인)해야 하는 경우에는 반드시 Hash 방식으로 설정해야 함

Application Performance Management

#13 인스턴스 하나만 문제가

KHAN
[a p m]

#13 - 현상 : 한 인스턴스에만 요청이 쌓임


- 일시 : 2017년 6월 15일 오전 10:30분
- 현상
 - 22 인스턴스에 Pending이 쌓이며 처리가 늦어지는 현상
- 의문?
 - 웹서버를 통한 요청이 제대로 분배되는가?

#13 - 인스턴스별 사용자 현황

Server Slowdown 현상



사용자가 인스턴스 별로
균등하게 분배됨




#13 - 인스턴스별 평균 응답시간 현황

Server Slowdown 현상



토글 버튼으로 애플리케이션
그룹내의 개별 인스턴스 분석




#13 - 인스턴스별 Pending Request 현황 분석

Server Slowdown 현상




애플리케이션 그룹의 인스턴스별로
분석하면, 22 인스턴스에만 Pending이
쌓이는 현상이 발생



#13 - 인스턴스 스레드 덤프 분석(자동생성)

Server Slowdown 현상



#13 - 인스턴스 스레드 덤프 분석

Server Slowdown 현상



Q Thread Dump Analyzer > 2017-06-15 10:31:20 (E52CF04A-558F-43A5-8E56-3321F479E1CB)

Analyze From Text

| # | Lin. | Type | Name | State | URL | Durati... | CPU Ti... | Class | At | Addr... |
|----|-------|-------------|------------------|----------|----------------------|-----------|-----------|---------------|----------|---------|
| 1 | 650 | Active Thre | default task-246 | RUNNABLE | /cnet/front/exame... | 14,403 | 352.9 | java.net.S... | 0x000... | |
| 2 | 924 | Active Thre | default task-238 | BLOCKED | /cnet/front/exame... | 33,986 | 693.4 | org.apache... | 0x000... | |
| 3 | 1,061 | Active Thre | default task-236 | BLOCKED | /cnet/front/exame... | 33,058 | 628.9 | org.apache... | 0x000... | |
| 4 | 1,181 | Active Thre | default task-235 | BLOCKED | /cnet/front/exame... | 39,877 | 745.3 | org.apache... | 0x000... | |
| 5 | 1,588 | Active Thre | default task-215 | BLOCKED | /cnet/front/exame... | 38,246 | 745.2 | org.apache... | 0x000... | |
| 6 | 1,737 | Active Thre | default task-212 | BLOCKED | /cnet/front/exame... | 32,150 | 637.7 | org.apache... | 0x000... | |
| 7 | 1,983 | Active Thre | default task-204 | BLOCKED | /cnet/front/exame... | 30,869 | 627.5 | org.apache... | 0x000... | |
| 8 | 2,117 | Active Thre | default task-202 | BLOCKED | /cnet/front/exame... | 38,711 | 757.2 | org.apache... | 0x000... | |
| 9 | 2,314 | Active Thre | default task-196 | BLOCKED | /cnet/front/exame... | 30,347 | 608.5 | org.apache... | 0x000... | |
| 10 | 2,498 | Active Thre | default task-193 | BLOCKED | /cnet/front/exame... | 38,861 | 757.6 | org.apache... | 0x000... | |
| 11 | 2,626 | Active Thre | default task-181 | BLOCKED | /cnet/front/exame... | 32,801 | 655.2 | org.apache... | 0x000... | |
| 12 | 2,791 | Active Thre | default task-178 | BLOCKED | /cnet/front/exame... | 33,986 | 693.4 | org.apache... | 0x000... | |
| 13 | 3,143 | Active Thre | default task-174 | BLOCKED | /cnet/front/exame... | 25,674 | 559.1 | org.apache... | 0x000... | |
| 14 | 3,281 | Active Thre | default task-172 | RUNNABLE | /cnet/front/exame... | 40,398 | 766.5 | java.net.S... | 0x000... | |
| 15 | 3,419 | Active Thre | default task-168 | BLOCKED | /cnet/front/exame... | 26,471 | 502.3 | org.apache... | 0x000... | |
| 16 | 3,633 | Active Thre | default task-168 | BLOCKED | /cnet/front/exame... | 26,471 | 502.3 | org.apache... | 0x000... | |
| 17 | 4,007 | Active Thre | default task-151 | BLOCKED | /cnet/front/exame... | 29,606 | 589.9 | org.apache... | 0x000... | |
| 18 | 4,144 | Active Thre | default task-149 | BLOCKED | /cnet/front/exame... | 26,854 | 555.2 | org.apache... | 0x000... | |
| 19 | 4,278 | Active Thre | default task-147 | BLOCKED | /cnet/front/exame... | 27,212 | 564.5 | org.apache... | 0x000... | |
| 20 | 4,400 | Active Thre | default task-146 | BLOCKED | /cnet/front/memb... | 1,145 | 11.3 | org.apache... | 0x000... | |
| 21 | 4,577 | Active Thre | default task-143 | BLOCKED | /cnet/front/exame... | 37,405 | 694.4 | org.apache... | 0x000... | |
| 22 | 5,179 | Active Thre | default task-110 | BLOCKED | /cnet/front/exame... | 28,692 | 618.0 | org.apache... | 0x000... | |
| 23 | 5,302 | Active Thre | default task-109 | BLOCKED | /cnet/front/exame... | 12,069 | 282.6 | org.apache... | 0x000... | |
| 24 | 5,589 | Active Thre | default task-98 | BLOCKED | /cnet/front/exame... | 31,622 | 630.8 | org.apache... | 0x000... | |
| 25 | 5,738 | Active Thre | default task-95 | BLOCKED | /cnet/front/exame... | 38,526 | 743.0 | org.apache... | 0x000... | |
| 26 | 5,917 | Active Thre | default task-90 | BLOCKED | /cnet/front/exame... | 28,350 | 612.5 | org.apache... | 0x000... | |
| 27 | 6,265 | Active Thre | default task-74 | BLOCKED | /cnet/front/exame... | 37,662 | 743.6 | org.apache... | 0x000... | |
| 28 | 6,496 | Active Thre | default task-66 | BLOCKED | /cnet/front/exame... | 27,470 | 557.1 | org.apache... | 0x000... | |

Record ID: 606

Log4j Console Appender가 잡은 Lock이

풀리기를 기다리는 스레드가 대부분

default task-238 스레드에서 기다리는 Lock

| | | | | | | | | | | |
|----|-------|-------------|------------------|----------|----------------------|--------|-------|---------------|----------|--|
| 2 | 924 | Active Thre | default task-238 | BLOCKED | /cnet/front/exame... | 33,986 | 693.4 | org.apache... | 0x000... | |
| 3 | 1,061 | Active Thre | default task-236 | BLOCKED | /cnet/front/exame... | 33,058 | 628.9 | org.apache... | 0x000... | |
| 4 | 1,181 | Active Thre | default task-235 | BLOCKED | /cnet/front/exame... | 39,877 | 745.3 | org.apache... | 0x000... | |
| 5 | 1,588 | Active Thre | default task-215 | BLOCKED | /cnet/front/exame... | 38,246 | 745.2 | org.apache... | 0x000... | |
| 6 | 1,737 | Active Thre | default task-212 | BLOCKED | /cnet/front/exame... | 32,150 | 637.7 | org.apache... | 0x000... | |
| 7 | 1,983 | Active Thre | default task-204 | BLOCKED | /cnet/front/exame... | 30,869 | 627.5 | org.apache... | 0x000... | |
| 8 | 2,117 | Active Thre | default task-202 | BLOCKED | /cnet/front/exame... | 38,711 | 757.2 | org.apache... | 0x000... | |
| 9 | 2,314 | Active Thre | default task-196 | BLOCKED | /cnet/front/exame... | 30,347 | 608.5 | org.apache... | 0x000... | |
| 10 | 2,498 | Active Thre | default task-193 | BLOCKED | /cnet/front/exame... | 38,861 | 757.6 | org.apache... | 0x000... | |
| 11 | 2,626 | Active Thre | default task-181 | BLOCKED | /cnet/front/exame... | 32,801 | 655.2 | org.apache... | 0x000... | |
| 12 | 2,791 | Active Thre | default task-178 | BLOCKED | /cnet/front/exame... | 33,986 | 693.4 | org.apache... | 0x000... | |
| 13 | 3,143 | Active Thre | default task-174 | BLOCKED | /cnet/front/exame... | 25,674 | 559.1 | org.apache... | 0x000... | |
| 14 | 3,281 | Active Thre | default task-172 | RUNNABLE | /cnet/front/exame... | 40,398 | 766.5 | java.net.S... | 0x000... | |
| 15 | 3,419 | Active Thre | default task-168 | BLOCKED | /cnet/front/exame... | 26,471 | 502.3 | org.apache... | 0x000... | |
| 16 | 3,633 | Active Thre | default task-168 | BLOCKED | /cnet/front/exame... | 26,471 | 502.3 | org.apache... | 0x000... | |
| 17 | 4,007 | Active Thre | default task-151 | BLOCKED | /cnet/front/exame... | 29,606 | 589.9 | org.apache... | 0x000... | |
| 18 | 4,144 | Active Thre | default task-149 | BLOCKED | /cnet/front/exame... | 26,854 | 555.2 | org.apache... | 0x000... | |
| 19 | 4,278 | Active Thre | default task-147 | BLOCKED | /cnet/front/exame... | 27,212 | 564.5 | org.apache... | 0x000... | |
| 20 | 4,400 | Active Thre | default task-146 | BLOCKED | /cnet/front/memb... | 1,145 | 11.3 | org.apache... | 0x000... | |
| 21 | 4,577 | Active Thre | default task-143 | BLOCKED | /cnet/front/exame... | 37,405 | 694.4 | org.apache... | 0x000... | |
| 22 | 5,179 | Active Thre | default task-110 | BLOCKED | /cnet/front/exame... | 28,692 | 618.0 | org.apache... | 0x000... | |
| 23 | 5,302 | Active Thre | default task-109 | BLOCKED | /cnet/front/exame... | 12,069 | 282.6 | org.apache... | 0x000... | |
| 24 | 5,589 | Active Thre | default task-98 | BLOCKED | /cnet/front/exame... | 31,622 | 630.8 | org.apache... | 0x000... | |
| 25 | 5,738 | Active Thre | default task-95 | BLOCKED | /cnet/front/exame... | 38,526 | 743.0 | org.apache... | 0x000... | |
| 26 | 5,917 | Active Thre | default task-90 | BLOCKED | /cnet/front/exame... | 28,350 | 612.5 | org.apache... | 0x000... | |
| 27 | 6,265 | Active Thre | default task-74 | BLOCKED | /cnet/front/exame... | 37,662 | 743.6 | org.apache... | 0x000... | |
| 28 | 6,496 | Active Thre | default task-66 | BLOCKED | /cnet/front/exame... | 27,470 | 557.1 | org.apache... | 0x000... | |

Record ID: 649

default task-196 스레드에서 잡은 Lock

Lock의 Owner인 Log4j

Console Appender

Thread Dump Text > 2017-06-15 10:31:20 (E52CF04A-558F-43A5-8E56-3321F479E1CB)

Thread 924: **waiting to lock <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 924**

Thread 927: **waiting to lock <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 924**

Thread 928: **waiting to lock <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 924**

Thread 929: **waiting to lock <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 924**

Thread 2791: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2792: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2793: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2794: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2795: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2796: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2797: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2798: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2799: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2800: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2801: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2802: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2803: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2804: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2805: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2806: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2807: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2808: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2809: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2810: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2811: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2812: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2813: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2814: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2815: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2816: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2817: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2818: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2819: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2820: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2821: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2822: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2823: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2824: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Thread 2825: **locked <0x00000006cf0ca580> (a org.apache.log4j.helpers.AppenderAttachableImpl) held by Thread 2791**

Application Performance Management

#14 SQL 쿼리 이슈

KHAN
[a p m]

#14 – 서비스 대시보드 현황

SQL 쿼리 이슈



Pending이 쌓이는 현상



#14 – 트랜잭션 분석

SQL 쿼리 이슈



Transactions > 2017-11-09 11:33:27 ~ 2017-11-09 11:34:49 > 9392ms ~ 9999999ms

Export to Excel tid:

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|--------------|-------------|-----------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 172.27.0.105 | jobaba13 | /edutrn/list.do | 200 | 32,484 | 32,378 | 3 | 206 | 0 | 52.74 | 2017-11-09 11:33:55.169 |
| WAS | 172.27.0.11 | jobaba23 | /main/main.do | 200 | 32,451 | 32,363 | 3 | 106 | 7 | 37.46 | 2017-11-09 11:33:52.164 |
| WAS | 172.27.0.11 | jobaba23 | /edutrn/list.do | 200 | 32,125 | 32,034 | 5 | 206 | 0 | 44.64 | 2017-11-09 11:33:50.279 |
| WAS | 172.27.0.11 | jobaba23 | /edutrn/list.do | 200 | 31,179 | 31,074 | 3 | 206 | 0 | 45.54 | 2017-11-09 11:34:00.988 |
| WAS | 172.27.0.105 | jobaba13 | /edutrn/list.do | 200 | 31,015 | 30,905 | 6 | 206 | 0 | 55.92 | 2017-11-09 11:34:01.419 |
| WAS | 172.27.0.105 | jobaba13 | /edutrn/list.do | 200 | 30,622 | 30,500 | 5 | 206 | 0 | 57.68 | 2017-11-09 11:34:03.639 |
| WAS | 172.27.0.11 | jobaba23 | /main/main.do | 200 | 30,479 | 30,376 | 3 | 106 | 8 | 37.26 | 2017-11-09 11:33:49.768 |
| WAS | 172.27.0.11 | jobaba23 | /main/main.do | 200 | 29,153 | 29,059 | 0 | 104 | 8 | 35.10 | 2017-11-09 11:33:54.270 |

Page 1 of 5 View 1 - 100 of 471

Transaction Detail

| Name | Value |
|----------------|---|
| Request URL | GET /edutrn/list.do View URL |
| Request Host | dev.***.net View Page |
| Client IP | 222.***.***.133 User Location |
| Start Time | 2017-11-09 11:33:55.169 |
| Duration (ms) | 32,484 |
| JDBC Time (ms) | 32,378 |
| Thread Name | ajp-bio-28009-exec-4 |
| IP | 172.27.0.105 |
| Agent Type | WAS |

| Name | Value |
|----------------|--|
| Status Code | 200 |
| User Agent | Mozilla/5.0 (Windows NT 6.2; WOW64; Trident/7.0; rv:11.0) like Gecko |
| End Time | 2017-11-09 11:34:27.653 |
| CPU Time (ms) | 52.74 |
| Latency (ms) | 0 |
| Thread ID | 83 |
| Instance ID | jobaba13 |
| Transaction ID | 15f9ea06ee1-3f9a757e1bdb1d73003b |

Method Traces

| [Num.] | [Start Time] | [Elapsed] | [%] | [Exclusi] | [A-Gab] | [CPUTime] | Method Call |
|--------|----------------|-----------|-----|-----------|---------|-----------|---|
| [1] | [11:33:55.169] | 32,484 | 100 | 0 | 0 | 52.74 | + org.apache.catalina.connector.CoyoteAdapter.service() |
| [2] | [11:33:55.169] | 32,484 | 100 | 0 | 32,484 | 52.74 | + com.BnLSoft.commn.filter.XSSFilter.doFilter() |
| [3] | [11:33:55.169] | 32,484 | 100 | 0 | 32,484 | 52.74 | + org.apache.tomcat.util.net.jsr166.Task.doFilter() |

30~32초가량 응답시간중 SQL 쿼리가 30~32초
대부분 SQL 쿼리의 응답시간이 느림

#14 – 트랜잭션 상세 분석

SQL 쿼리 이슈



Transactions > 2017-11-09 11:33:27 ~ 2017-11-09 11:34:49 > 9392ms ~ 9999999ms

Export to Excel tid :

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|------------|-------------|-----------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 17.105 | jc3 | /edutrn/list.do | 200 | 32,484 | 32,378 | 3 | 206 | 0 | 52.74 | 2017-11-09 11:33:55.169 |
| WAS | 17.11 | jc3 | /main/main.do | 200 | 32,451 | 32,363 | 3 | 106 | 7 | 37.46 | 2017-11-09 11:33:52.164 |
| WAS | 17.11 | jc3 | /edutrn/list.do | 200 | 32,125 | 32,034 | 5 | 206 | 0 | 44.64 | 2017-11-09 11:33:50.279 |
| WAS | 17.11 | jc3 | /edutrn/list.do | 200 | 31,179 | 31,074 | 3 | 206 | 0 | 45.54 | 2017-11-09 11:34:00.988 |
| WAS | 17.105 | jc3 | /edutrn/list.do | 200 | 31,015 | 30,905 | 6 | 206 | 0 | 55.92 | 2017-11-09 11:34:01.419 |
| WAS | 17.105 | jc3 | /edutrn/list.do | 200 | 30,622 | 30,500 | 5 | 206 | 0 | 57.68 | 2017-11-09 11:34:03.639 |
| WAS | 17.11 | jc3 | /main/main.do | 200 | 30,479 | 30,376 | 3 | 106 | 8 | 37.26 | 2017-11-09 11:33:49.768 |
| WAS | 17.11 | jc3 | /main/main.do | 200 | 29,153 | 29,059 | 0 | 104 | 8 | 35.10 | 2017-11-09 11:33:54.270 |

대부분의 쿼리가 2~3초, 10초가량 걸리는 쿼리는

cmnnBbs.selectBbsList에서 실행한 쿼리

데이터 Fetch 건수는 2개

Transaction Detail

Trace

StackTrace

```
[ 458][11:34:07.839] 0| 0| 0| 0.1| + org.apache.tomcat.dbcp.dbcp.DelegatingConnection.prepareStatement()
[ 459][11:34:07.839] 0| 0| 0| 0.1| + org.apache.tomcat.dbcp.dbcp.PoolingConnection.prepareStatement()
[ 460][11:34:07.839] 10,934| 34| 0| 10,934| 0.4| + org.apache.tomcat.dbcp.dbcp.DelegatingPreparedStatement.execute()
[ 461][11:34:07.839] 10,934| 34| 0| 10,934| 0.3| + org.apache.tomcat.dbcp.dbcp.DelegatingPreparedStatement.execute()
[ 462][11:34:07.839] 10,934| 34| 0| 10,934| 0.3| + org.apache.tomcat.dbcp.dbcp.DelegatingPreparedStatement.execute()
[ 463][11:34:07.839] 10,934| 34| 10,934| 0| 0.2| + com.mysql.jdbc.PreparedStatement.execute()


> DB : URL: jdbc:mysql://10.64.49.70:3306/tk1fdb?autoReconnect=true, User: tkjfb
> Query : SELECT /*+cmnnBbs.selectBbsList*/ A.*, GET_CODE_NM('CMNN_27', A.OPNP_YN) AS OPNP_YN_NM, GET_CODE_NM('CMNN_42', A.ANSW_YN) AS ANSW_YN_NM, GET_CODE_NM('CMNN_50', A.CNFM_YN) AS CNFM_YN_NM FROM ( SELECT A.* FROM ( SELECT A.SEQ, A.CNTNTS_SE_CD, B.CMN_NM AS CNTNTS_SE_NM, A.CNTNTS_SEQ, CASE WHEN A.CNTNTS_SE_CD = '01' THEN (SELECT MAIN_TITLE FROM TB_SPTPLCY WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '02' THEN (SELECT MAIN_TITLE FROM TB_EVTIFO WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '03' THEN (SELECT MAIN_TITLE FROM TB_GEOI_NFO WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '07' THEN (SELECT MAIN_TITLE FROM TB_EDUTRN WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '09' THEN (SELECT BSNS_NM FROM TB_FNTN_INFO WHERE SEQ = A.CNTNTS_SEQ) END AS CNTNTS_SJ, '' AS CNTNTS_TAB_SEQ, '' AS TAB_MENU_NM, A.SJ, A.CNTS, '' AS MVP_URL, '' AS MVP_URL_YN, 'Y' AS CNFM_YN, A.OPNP_YN, A.ALL_NTC_YN, A.NTC_YN, '' AS ANSW_YN, '' AS ANSW_CNT, A.RDCNT, '' AS INTRST_CNT, '' AS SHARE_CNT, '' AS WRTER, '' AS WRTER_NM, A.REG_DT, A.REG_USR, (SELECT NM FROM TB_MBER WHERE SEQ = A.REG_USR) AS REG_USR_NM, (SELECT ENCTP_FILE_NM FROM TB_ATF_L WHERE DEL_YN = 'N' AND USE_YN = 'Y' AND REFRN_CD = 'UPLOAD35' AND REFRN_SEQ = A.REG_USR) AS REG_USR_IMG, A.UPD_DT, A.UPD_USR, A.USE_YN, A.DEL_YN FROM TB_BBS_NTC A LEFT OUTER JOIN TB_CODE B ON (B.GRP_CD = 'CMNN_43' AND B.DEL_YN = 'N' AND B.USE_YN = 'Y' AND B.CMN_CD = A.CNTNTS_SE_CD) WHERE A.USE_YN = 'Y' AND A.DEL_YN = 'N' ) A WHERE 1=1 AND A.ALL_NTC_YN = ? AND A.NTC_YN = ? AND A.OPNP_YN = ? ORDER BY SEQ DESC LIMIT 2, ? ) A

> Mapped: SELECT /*+cmnnBbs.selectBbsList*/ A.*, GET_CODE_NM('CMNN_27', A.OPNP_YN) AS OPNP_YN_NM, GET_CODE_NM('CMNN_42', A.ANSW_YN) AS ANSW_YN_NM, GET_CODE_NM('CMNN_50', A.CNFM_YN) AS CNFM_YN_NM FROM ( SELECT A.* FROM ( SELECT A.SEQ, A.CNTNTS_SE_CD, B.CMN_NM AS CNTNTS_SE_NM, A.CNTNTS_SEQ, CASE WHEN A.CNTNTS_SE_CD = '01' THEN (SELECT MAIN_TITLE FROM TB_SPTPLCY WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '02' THEN (SELECT MAIN_TITLE FROM TB_EVTIFO WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '03' THEN (SELECT MAIN_TITLE FROM TB_GEOI_NFO WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '07' THEN (SELECT MAIN_TITLE FROM TB_EDUTRN WHERE SEQ = A.CNTNTS_SEQ) WHEN A.CNTNTS_SE_CD = '09' THEN (SELECT BSNS_NM FROM TB_FNTN_INFO WHERE SEQ = A.CNTNTS_SEQ) END AS CNTNTS_SJ, '' AS CNTNTS_TAB_SEQ, '' AS TAB_MENU_NM, A.SJ, A.CNTS, '' AS MVP_URL, '' AS MVP_URL_YN, 'Y' AS CNFM_YN, A.OPNP_YN, A.ALL_NTC_YN, A.NTC_YN, '' AS ANSW_YN, '' AS ANSW_CNT, A.RDCNT, '' AS INTRST_CNT, '' AS SHARE_CNT, '' AS WRTER, '' AS WRTER_NM, A.REG_DT, A.REG_USR, (SELECT NM FROM TB_MBER WHERE SEQ = A.REG_USR) AS REG_USR_NM, (SELECT ENCTP_FILE_NM FROM TB_ATF_L WHERE DEL_YN = 'N' AND USE_YN = 'Y' AND REFRN_CD = 'UPLOAD35' AND REFRN_SEQ = A.REG_USR) AS REG_USR_IMG, A.UPD_DT, A.UPD_USR, A.USE_YN, A.DEL_YN FROM TB_BBS_NTC A LEFT OUTER JOIN TB_CODE B ON (B.GRP_CD = 'CMNN_43' AND B.DEL_YN = 'N' AND B.USE_YN = 'Y' AND B.CMN_CD = A.CNTNTS_SE_CD) WHERE A.USE_YN = 'Y' AND A.DEL_YN = 'N' ) A WHERE 1=1 AND A.ALL_NTC_YN = 'Y' AND A.NTC_YN = 'Y' AND A.OPNP_YN = 'Y' ORDER BY SEQ DESC LIMIT 0, 2 ) A

[ 464][11:34:18.773] 0| 0| 0| 0| 0.0| + com.mysql.jdbc.ResultSetImpl.next-close()
> Fetch : [Fetch Count: 2, Gab Time: 0ms ]
```


#14 – DB 서버 CPU 사용률

SQL 쿼리 이슈



#14 – DB 서버 CPU 사용률

SQL 쿼리 이슈



Application Performance Management

#15

SQL 쿼리 이슈


KHAN
[a p m]

#15 - 인스턴스 메모리 사용량(History 분석)

SQL 쿼리 이슈




14시 41분부터 cluster13 인스턴스 JVM
메모리 사용량이 급증함




#15 - 인스턴스 JVM GC 현황(History 분석)

SQL 쿼리 이슈



#15 - JVM 메모리 관련 이벤트

SQL 쿼리 이슈



#15 - 인스턴스에서 호출된 URL 조사

SQL 쿼리 이슈



Transactions > 2017-07-07 14:35:27 ~ 2017-07-07 15:22:19 > 5696ms ~ 999999ms

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|------------|-------------|-------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | | cluster13 | /back/StudentManager.do | 500 | 272,141 | 11,013 | 3,102 | 63,715 | 0 | 6,940.00 | 2017-07-07 14:41:19.503 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 253,124 | 1,630 | 454 | 10,935 | 0 | 1,160.00 | 2017-07-07 14:41:47.374 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 174,747 | 11,773 | 26,159 | 10,935 | 0 | 1,130.00 | 2017-07-07 14:41:49.938 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 233,556 | 1,566 | 480 | 10,935 | 0 | 1,120.00 | 2017-07-07 14:42:04.070 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 230,824 | 1,626 | 511 | 10,935 | 0 | 1,180.00 | 2017-07-07 14:42:04.071 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 203,400 | 1,672 | 8,681 | 10,935 | 0 | 1,150.00 | 2017-07-07 14:42:28.612 |
| WAS | | cluster13 | /back/Member.do | 200 | 198,910 | 0 | 0 | 0 | 0 | 20.00 | 2017-07-07 14:42:32.773 |
| WAS | | cluster13 | /back/Member.do | 200 | 132,464 | 0 | 0 | 0 | 0 | 10.00 | 2017-07-07 14:42:35.337 |

Page 1 of 1 View 1 - 76 of 7

Transaction Detail

Trace

StackTrace

| | | | |
|----------------|--|----------------|---------------------------------|
| Name | Value | Name | Value |
| Request URL | /back/StudentManager.do View URL | Params | |
| Request Host | admin.esafe.or.kr View Page | Status Code | 500 |
| Client IP | 175.198.111.3 User Location | Fetch Count | 63,715 |
| Start Time | 2017-07-07 14:41:19.503 | CPU Time (ms) | 6,940.00 |
| Duration (ms) | 272,141 | Latency (ms) | 3,102 |
| JDBC Time (ms) | 11,013 | Load ID | 15d1b90c01b-20c9dac2d38b8deb0c2 |
| Thread Name | ajp-0.0.0.0-8209-48 | Instance ID | cluster13 |
| IP | 211.206.126.85 | Transaction ID | 15d1b90c01b-20c9dac2d38b8deb0c2 |
| Agent Type | WAS | | |

Error Message

```

java.lang.IllegalStateException: getOutputStream() has already been called for this response
at org.apache.catalina.connector.Response.getWriter(Response.java:621)
at org.apache.catalina.connector.ResponseFacade.getWriter(ResponseFacade.java:198)
at javax.servlet.ServletResponseWrapper.getWriter(ServletResponseWrapper.java:112)
at org.apache.jasper.runtime.JspWriterImpl.initOut(JspWriterImpl.java:125)
at org.apache.jasper.runtime.JspWriterImpl.flushBuffer(JspWriterImpl.java:118)
at org.apache.jasper.runtime.PageContextImpl.release(PageContextImpl.java:180)
at org.apache.jasper.runtime.JspFactoryImpl.internalReleasePageContext(JspFactoryImpl.java:118)
at org.apache.jasper.runtime.JspFactoryImpl.releasePageContext(JspFactoryImpl.java:77)

```

14시 41분부터 cluster13 인스턴스에 6만 3천건, 1만 건을 가져오는 쿼리가 다수 호출되어 JVM 메모리를 소진한 것으로 판단됨

’/back/StudentManager.do’ URL에서 호출됨

Instance IDcluster13

14시 41분부터 cluster13 인스턴스에 6만 3천건, 1만 건을 가져오는 쿼리가 다수 호출되어 JVM 메모리를 소진한 것으로 판단됨
'/back/StudentManager.do' URL에서 호출됨

#15 - URL을 호출한 사용자 정보

SQL 쿼리 이슈



Transactions > 2017-07-07 14:30:01 ~ 2017-07-07 15:50:18 > 3840ms ~ 999999ms

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|------------|-------------|-------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | | cluster13 | /back/StudentManager.do | 500 | 272,141 | 11,013 | 3,102 | 63,715 | 0 | 6,940.00 | 2017-07-07 14:41:19.503 |
| WAS | | cluster13 | /back/StudentManager.do | 200 | 114,452 | 9,533 | 2,935 | 63,715 | 0 | 6,740.00 | 2017-07-07 14:51:09.190 |
| WAS | | cluster13 | /back/StudentManager.do | 200 | 5,543 | 1,794 | 541 | 11,353 | 0 | 1,160.00 | 2017-07-07 14:46:23.519 |
| WAS | | cluster13 | /back/StudentManager.do | 200 | 5,229 | 1,711 | 432 | 11,240 | 0 | 1,140.00 | 2017-07-07 15:13:46.008 |
| WAS | | cluster13 | /back/StudentManager.do | 200 | 9,039 | 3,401 | 479 | 10,935 | 0 | 1,050.00 | 2017-07-07 14:46:26.115 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 233,556 | 1,566 | 480 | 10,935 | 0 | 1,120.00 | 2017-07-07 14:42:04.070 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 230,824 | 1,626 | 511 | 10,935 | 0 | 1,180.00 | 2017-07-07 14:42:04.071 |
| WAS | | cluster13 | /back/StudentManager.do | 500 | 253,124 | 1,630 | 454 | 10,935 | 0 | 1,160.00 | 2017-07-07 14:41:47.374 |

Transaction Detail | Trace | StackTrace

| Name | Value | Name | Value |
|--------------|--|----------------|---|
| Request URL | /back/StudentManager.do View URL | Params | |
| Request Host | admin.esafe.or.kr View Page | Status Code | 500 |
| Client IP | 175.198.111.3 User Location | User Agent | Mozilla/5.0 (Windows NT 6.1; Trident/7.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center 6.0; .NET4.0C; .NET4.0E; SM)B |
| Start Time | 2017-07-07 14:41:19.503 | End Time | 2017-07-07 14:42:04.071 |
| | | CPU Time | 1,160.00 |
| | | Latency | 1,160.00 |
| | | Thread ID | 1502 |
| | | Instance ID | cluster13 |
| | | Transaction ID | 15d1b90c01b-20c9dac2d38b8deb0cf2 |

IP Address: 175.198.111.3
ISP: Korea Telecom
Region: Seoul (KR)
Speedtest: Check [here!](#)

admin.xxx.co.kr로 접속하여
'/back/StudentManager.do' URL을 호출한 사용자는
'175.198.111.3' IP를 사용함
KT 망을 사용하며, 위치는 '서울'

Application Performance Management

#16~#22
SQL 쿼리 이슈


KHAN
[a p m]

#16 - 트랜잭션 맵(T-Map) 현황

SQL 쿼리 이슈



느린 트랜잭션 분포 현황



#16 - 느린 URL의 현황

SQL 쿼리 이슈



| Transactions > 2017-11-01 13:39:13 ~ 2017-11-01 14:59:46 > 24321ms ~ 9999999ms | | | | | | | | | | | |
|--|----------------|-------------|--------------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| Export to Excel tid: <input type="text"/> | | | | | | | | | | | |
| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
| WAS | 210.90.107.181 | homepage11 | /common/attachfile/FileDown.do | 200 | 86,267 | 2 | 0 | 1 | 0 | 247.82 | 2017-11-01 14:22:38.459 |
| WAS | 210.90.107.181 | homepage11 | /common/attachfile/FileDown.do | 200 | 55,607 | 2 | 0 | 1 | 0 | 292.75 | 2017-11-01 14:23:41.809 |
| WAS | 210.90.107.181 | homepage11 | /member/index.do | 200 | 26,309 | 25,907 | 385 | 87 | 0 | 30.99 | 2017-11-01 14:28:54.141 |
| WAS | 210.90.107.181 | homepage13 | /member/index.do | 200 | 25,605 | 25,112 | 481 | 87 | 0 | 28.42 | 2017-11-01 14:28:54.142 |
| WAS | 210.90.107.181 | homepage14 | /member/index.do | 200 | 27,010 | 26,739 | 253 | 91 | 0 | 29.12 | 2017-11-01 14:28:54.142 |
| WAS | 210.90.107.181 | homepage14 | /member/index.do | 200 | 26,081 | 25,545 | 517 | 87 | 0 | 31.88 | 2017-11-01 14:28:54.142 |
| WAS | 210.90.107.181 | homepage11 | /member/index.do | 200 | 26,743 | 26,382 | 329 | 87 | 0 | 26.77 | 2017-11-01 14:28:54.145 |
| WAS | 210.90.107.181 | homepage11 | /member/index.do | 200 | 26,637 | 26,267 | 354 | 87 | 0 | 27.38 | 2017-11-01 14:28:54.146 |

전체 수행시간 26-27초 중 DB관련 수행시간이 25-26초임, 데이터 Fetch 건수는 많지 않음

| | | |
|--------------------|--|--|
| Transaction Detail | Trace | StackTrace |
| Name | Value | |
| Request URL | GET /member/index.do View URL | |
| Request Host | 210.90.107.181 View Page | |
| Client IP | 210.90.107.81 User Location | |
| Start Time | 2017-11-01 14:28:54.141 | End Time 2017-11-01 14:29:20.450 |
| Duration (ms) | 26,309 | CPU Time (ms) 30.99 |
| JDBC Time (ms) | 25,907 | Latency (ms) 0 |
| Thread Name | http-thread-pool-threads - 147 | Thread ID 380 |
| IP | 210.90.107.181 | Instance ID homepage11 |
| Agent Type | WAS | Transaction ID 15f760f993b-138a566c04dcec75b8cd |
| Method Traces | | |
| ===== | | |
| [Num.] | [Start Time Elapsed % Exclusi A-Gab CPUTime] | Method Call |
| [1] | [14:28:54.141 26,309 100 1 0 31.0] | + org.apache.catalina.connector.CoyoteAdapter.service() |
| [2] | [14:28:54.141 26,308 100 397 25,911 30.1] | + org.springframework.web.servlet.DispatcherServlet.doService() |
| [3] | [14:28:54.144 0 0 0 0 0.0] | + com.ibatis.sqlmap.engine.impl.SqlMapClientImpl.openSession() |
| [4] | [14:28:54.144 0 0 0 0 0.1] | + org.jboss.jca.adapters.jdbc.WrapperDataSource.getConnection() |
| [5] | [14:28:54.144 0 0 0 0 0.0] | + org.jboss.jca.adapters.jdbc.WrapperConnection.prepareStatement() |

SQL 쿼리 이슈

opennaru

노리 퀴리 239초 실험도 View 1 - 100 of 291

Transaction Detail

Trace

StackTrace

[106][14:28:56.098]

0]

0]

0]

0]

[107][14:28:56.098]

0]

0]

0]

0]

0.1] + org.jboss.jca.adapters.jdbc.WrappedConnection.close()

[108][14:28:56.098]

0]

0]

0]

0]

0.0] + com.ibatis.sqlmap.engine.impl.SqlMapClientImpl.openSession()

[109][14:28:56.098]

0]

0]

0]

0]

0.1] + org.jboss.jca.adapters.jdbc.WrapperDataSource.getConnection()

[110][14:28:56.098]

0]

0]

0]

0]

0.1] + org.jboss.jca.adapters.jdbc.WrappedConnection.prepareStatement()

[111][14:28:56.098]

0]

0]

0]

0]

0.1] + oracle.jdbc.driver.T4CDriverExtension.allocatePreparedStatement()

[112][14:28:56.098]

23,917]

91]

1]

23,916]

0.7] + org.jboss.jca.adapters.jdbc.WrappedPreparedStatement.execute()

[113][14:28:56.099]

23,916]

91]

0]

23,916]

0.6] + org.jboss.jca.adapters.jdbc.CachedPreparedStatement.execute()

[114][14:28:56.099]

23,916]

91]

23,916]

0]

0.5] + oracle.jdbc.driver.OraclePreparedStatement.execute()

> DB :

URL : jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_LIST=(LOAD_BALANCE=ON)(ADDRESS= (PROTOCOL = TCP)(HOST=10.101.34.35)(PORT=1521)))(ADDRESS= (PROTOCOL=TCP)(HOST=10.101.34.37)(PORT = 1521))) (CONNECT_DATA=(SERVER = DEDICATED)(SERVICE_NAME = EDUNIER))

> Query :

/* memberDAO.mainBoardList */ SELECT BOARD_ID, REG_DT, BOARD_MST_ID, TIT, CONTENT, (SELECT FILE_ID FROM TN_ATT_FILE WHERE FILE_REF_ID = TB.BOARD_ID AND FILE_GRP = 'image1' AND ROWNUM = 1) FILE_ID FROM TN_BOARD TB WHERE BOARD_MST_ID = 'EhndNotice' AND OPEN_YN = 'Y' ORDER BY BOARD_ID DESC) WHERE ROWNUM <= 5 UNION ALL SELECT * FROM (SELECT BOARD_ID, REG_DT, BOARD_MST_ID, SUBSTR(TIT, 1, 36) TIT, CONTENT, (SELECT FILE_ID FROM TN_ATT_FILE WHERE FILE_REF_ID = TB.BOARD_ID AND FILE_GRP = 'image1' AND ROWNUM = 1) FILE_ID FROM TN_BOARD TB WHERE BOARD_MST_ID = 'MinwonFaq' AND OPEN_YN = 'Y' ORDER BY ORDER_NUM DESC) WHERE ROWNUM <= 5 UNION ALL SELECT * FROM (SELECT BOARD_ID, REG_DT, BOARD_MST_ID, SUBSTR(TIT, 1, 36) TIT, CONTENT, TFN.FILE_ID FROM TN_BOARD TB LEFT OUTER JOIN TN_ATT_FILE TFN ON TB.B OARD_ID = TFN.FILE_REF_ID AND TFN.FILE_GRP = 'file1' AND ROWNUM = 1 WHERE BOARD_MST_ID = 'DataEduNews' AND OPEN_YN = 'Y' ORDER BY ORDER_NUM DESC) WHERE ROWNUM <= 5)

> Mapped :

/* memberDAO.mainBoardList */ SELECT BOARD_ID, REG_DT, BOARD_MST_ID, TIT, FILE_ID, REPLACE(REGEXP_REPLACE(CONTENT, '<[>]+>', ''), ' ', ' ') CONTENT FROM (SELECT * FROM (SELECT BOARD_ID, REG_DT, BOARD_MST_ID, SUBSTR(TIT, 1, 36) TIT, CONTENT, (SELECT FILE_ID FROM TN_ATT_FILE WHERE FILE_REF_ID = TB.BOARD_ID AND FILE_GRP = 'image1' AND ROWNUM = 1) FILE_ID FROM TN_BOARD TB WHERE BOARD_MST_ID = 'EhndNotice' AND OPEN_YN = 'Y' ORDER BY BOARD_ID DESC) WHERE ROWNUM <= 5 UNION ALL SELECT * FROM (SELECT BOARD_ID, REG_DT, BOARD_MST_ID, SUBSTR(TIT, 1, 36) TIT, CONTENT, (SELECT FILE_ID FROM TN_ATT_FILE WHERE FILE_REF_ID = TB.BOARD_ID AND FILE_GRP = 'image1' AND ROWNUM = 1) FILE_ID FROM TN_BOARD TB WHERE BOARD_MST_ID = 'MinwonFaq' AND OPEN_YN = 'Y' ORDER BY ORDER_NUM DESC) WHERE ROWNUM <= 5 UNION ALL SELECT * FROM (SELECT BOARD_ID, REG_DT, BOARD_MST_ID, SUBSTR(TIT, 1, 36) TIT, CONTENT, TFN.FILE_ID FROM TN_BOARD TB LEFT OUTER JOIN TN_ATT_FILE TFN ON TB.B OARD_ID = TFN.FILE_REF_ID AND TFN.FILE_GRP = 'file1' AND ROWNUM = 1 WHERE BOARD_MST_ID = 'DataEduNews' AND OPEN_YN = 'Y' ORDER BY ORDER_NUM DESC) WHERE ROWNUM <= 5)

[115][14:29:20.391]

0]

0]

0]

0]

0.0] + oracle.jdbc.driver.InsensitiveScrollableResultSet.next-close()

> Fetch :

[Fetch Count: 15, Gab Time: 376ms]

[116][14:29:20.391]

1]

0]

1]

0]

0.1] + org.jboss.jca.adapters.jdbc.WrappedConnection.close()

[117][14:29:20.392]

0]

0]

0]

0]

0.0] + com.ibatis.sqlmap.engine.impl.SqlMapClientImpl.openSession()

[118][14:29:20.392]

0]

0]

0]

0]

0.1] + org.jboss.jca.adapters.jdbc.WrapperDataSource.getConnection()

[119][14:29:20.392]

0]

0]

0]

0]

0.0] + org.jboss.jca.adapters.jdbc.WrappedConnection.prepareStatement()

SQL 쿼리 이슈

SQL Fetch 건수는 18~34건 정도이지만, SQL 쿼리 수행시간이 35~260초 가량 소요됨

#17 – ResultSet Fetch 건수가 많음

SQL 쿼리 이슈



일시 : 11월 30일 21시 55분

/member/mobile/select/SelectBoardView.do

URL 에서 Too Many Resultset Fetch 발생

DB Resultset Fetch건수가
264,056건

| Instance ID | URL | Duration(ms) | SQL Time | DB Resultset Fetch건수 | Fetch 건수 |
|-------------|--|--------------|----------|----------------------|----------|
| homepage14 | /common/attachfile/FileDown.do | 36,288 | | 0 | 1 |
| homepage14 | /common/attachfile/FileDown.do | 58,465 | | 0 | 1 |
| homepage14 | /common/attachfile/FileDown.do | 47,184 | 3 | 0 | 1 |
| homepage14 | /common/attachfile/FileDown.do | 46,991 | 2 | 0 | 1 |
| homepage14 | /member/mobile/select/SelectBoardView.do | 82,793 | 481 | 15,740 | 264,056 |
| homepage14 | /member/mobile/select/SelectBoardView.do | 28,983 | 581 | 15,957 | 264,056 |
| homepage14 | /member/mobile/select/SelectBoardView.do | 46,552 | 576 | 25,220 | 264,056 |
| homepage14 | /member/mobile/select/SelectBoardView.do | 138,530 | 606 | 66,329 | 264,056 |

| Transaction Detail | Trace | StackTrace |
|--|----------------|----------------|
| IP | 210.90.107.181 | Instance ID |
| Agent Type | WAS | Transaction ID |
| Warning Message | | |
| <ul style="list-style-type: none"> - Too many resultset fetch [count:100000, elapsed:28647] - Too many resultset fetch [count:200000, elapsed:45694] | | |
| Method Traces | | |
| <pre> ===== [Num.][Start Time Elapsed % Exclud A-Gab CPUTime] ----- [1][20:53:56.120 138,530 100 2 0 7,843.9]+ org.apache.catalina.connector.RequestFacade.setRequestAttribute() [2][20:53:56.121 138,528 100 66,333 72,195 7,842.8]+ org.springframework.jdbc.datasource.DataSourceUtils.getConnection() [3][20:53:56.122 0 0 0 0 0.0]+ com.ibatis.sqlmap.engine.impl.SqlMapClientImpl.openSession() [4][20:53:56.123 0 0 0 0 0.0]+ org.apache.commons.dbcp.BasicDataSource.getConnection() [5][20:53:56.123 0 0 0 0 0.0]+ org.apache.commons.dbcp.PoolingDataSource.getConnection() [6][20:53:56.123 0 0 0 0 0.1]+ org.apache.commons.dbcp.DelegatingConnection.prepareStatement() [7][20:53:56.123 0 0 0 0 0.0]+ oracle.jdbc.driver.T4CPreparedStatement.allocatePreparedStatement() [8][20:53:56.124 606 0 0 606 0.5]+ org.apache.commons.dbcp.DelegatingPreparedStatement.execute() [9][20:53:56.124 606 0 606 0 0.4]+ oracle.jdbc.driver.OraclePreparedStatement.execute() > DB : URL: jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_LIST=(LOAD_BALANCE=ON)(ADDRESS=(PROTOCOL = TCP)(HOST=10.101.34.35)(PORT=1521) > Query : /* eduschCourseDAO.selectPopuList */ SELECT A.COURSESEQNO, B.COURSENAME, A.NAME, A.SEX, A.JOBPHONE, A.JOBADDR, A.J IN(0, 1, 9) ORDER BY A.REGDATE DESC > Mapped: /* eduschCourseDAO.selectPopuList */ SELECT A.COURSESEQNO, B.COURSENAME, A.NAME, A.SEX, A.JOBPHONE, A.JOBADDR, A.J IN(0, 1, 9) ORDER BY A.REGDATE DESC [10][20:53:03.059 0 0 0 0 0.0]+ oracle.jdbc.driver.OracleResultSetImpl.next-close() > Fetch : [Fetch Count: 264056, Gab Time: 66,329ms] [11][20:53:03.059 0 0 0 0 0.1]+ org.apache.commons.dbcp.PoolableConnection.close() [12][20:53:03.060 71,589 52 3 71,586 2,192.3]+ org.apache.jasper.servlet.JspServlet.service() [13][20:53:03.063 71,586 52 71,586 0 2,188.7]+ org.apache.jsp.HFB_002dINF_jsp.govframework.member.mobile.select.SelectBoardView_jsp._jspService() </pre> | | |

다음 SELECT 쿼리의 수행시간은 600ms
이지만, ResultSet Fetch건수가
264,056건으로 66.3초 수행되었음

#17 - 많은 DB ResultSet fetch로 OOM 발생 감지

SQL 쿼리 이슈



Transactions > 2017-12-11 08:54:22 ~ 2017-12-11 10:14:53 > 28810ms ~ 9999999ms Export to Excel tid :

| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|--------------|---------------|-------------|------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 192.168.1.25 | 110.70.56.200 | myacv-1-25 | /member/auth | 500 | 178,684 | 93 | 178,543 | 92,982 | 0 | 3,203.13 | 2017-12-11 18:30:47.754 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /member/auth | 200 | 146,325 | 9,265 | 0 | 2 | 0 | 31.25 | 2017-12-11 18:31:19.925 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /member/auth | 200 | 143,590 | 0 | 0 | 2 | 0 | 31.25 | 2017-12-11 18:31:22.660 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /log/tracking | 200 | 134,481 | 0 | 0 | 0 | 0 | 15.63 | 2017-12-11 18:31:31.785 |
| WAS | 192.168.1.25 | 220.94.248.31 | myacv-1-25 | /log/tracking | 200 | 129,779 | 0 | 0 | 0 | 0 | 46.88 | 2017-12-11 18:31:36.503 |
| WAS | 192.168.1.25 | 110.70.56.200 | myacv-1-25 | /member/auth | 200 | 127,184 | 4,093 | 0 | 1 | 0 | 46.88 | 2017-12-11 18:31:39.066 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /log/tracking | 200 | 124,559 | 37,827 | 0 | 0 | 0 | 31.25 | 2017-12-11 18:31:41.691 |
| WAS | 192.168.1.25 | 219.248.121.3 | myacv-1-25 | /member/firstAct | 200 | 119,107 | 0 | 0 | 1 | 0 | 79.13 | 2017-12-11 18:31:47.128 |

2017년 12월 11일 : 다수의 인스턴스에서 OutOfMemory 오류가 발생
사용자 인증시 데이터베이스 Fetch를 92,982건 호출함

Transaction Detail Trace StackTrace

| Name | Value | Name | Value |
|----------------|---|---------------|---|
| Request URL | POST /member/auth View URL | Params | |
| Request Host | myacuvue.co.kr View Page | Status Code | 500 |
| Client IP | 110.70.56.200 User Location | User Agent | Variables/2.0.7 (Phone; iOS 10.3.2; Scale/3.00) |
| Start Time | 2017-12-11 09:30:47.754 | End Time | 2017-12-11 18:30:47.754 |
| Duration (ms) | 178,684 | CPU Time (ms) | 3,203.13 |
| JDBC Time (ms) | 93 | Latency (ms) | 0 |
| Thread Name | http-bio-80-exec-67 | Thread ID | 1819 |

OutOfMemory 오류가 발생함

Handler processing failed; nested exception is `java.lang.OutOfMemoryError: GC overhead limit exceeded`

Handler processing failed; nested exception is java.lang.OutOfMemoryError: GC overhead limit exceeded

Method Traces

| [Num.] | [Start Time] | [Elapsed] | [%] | [Exclusi] | [A-Gab] | [CPUTime] | [Method Call] |
|--------|--------------|-----------|-----|-----------|---------|-----------|---------------|
| ----- | | | | | | | |

#17 – 너무 많은 DB ResultSet fetch 감지

SQL 쿼리 이슈



| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|--------------|---------------|-------------|------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|------------------------|
| WAS | 192.168.1.25 | 110.70.56.200 | myacv-1-25 | /member/auth | 500 | 178,684 | 93 | 178,543 | 92,982 | 0 | 3,203.13 | 2017-12-11 18:30:47.75 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /member/auth | 200 | 146,325 | 9,265 | 0 | 2 | 0 | 31.25 | 2017-12-11 18:31:19.92 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /member/auth | 200 | 143,590 | 0 | 0 | 2 | 0 | 31.25 | 2017-12-11 18:31:22.66 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /log/tracking | 200 | 134,481 | 0 | 0 | 0 | 0 | 15.63 | 2017-12-11 18:31:31.78 |
| WAS | 192.168.1.25 | 220.94.248.31 | myacv-1-25 | /log/tracking | 200 | 129,779 | 0 | 0 | 0 | 0 | 46.88 | 2017-12-11 18:31:36.50 |
| WAS | 192.168.1.25 | 110.70.56.200 | myacv-1-25 | /member/auth | 200 | 127,184 | 4,093 | 0 | 1 | 0 | 46.88 | 2017-12-11 18:31:39.06 |
| WAS | 192.168.1.25 | 223.62.8.206 | myacv-1-25 | /log/tracking | 200 | 124,559 | 37,827 | 0 | 0 | 0 | 31.25 | 2017-12-11 18:31:41.69 |
| WAS | 192.168.1.25 | 219.248.121.3 | myacv-1-25 | /member/firstAct | 200 | 119,107 | 0 | 0 | 1 | 0 | 78.13 | 2017-12-11 18:31:47.12 |

2017년 12월 11일 : 다수의 인스턴스에서 OutOfMemory 오류가 발생
로직에 따라 SQL 쿼리의 WHERE 조건절에 필요한 조건이 빠져 테이블 Full
Scan이 발생함

Transaction Detail Trace

```
SELECT
  A.contactId AS contactId, A.accountId AS accountId, A.membershipNo AS membershipNo, A.userId AS userId, A.userPwd AS userPwd, A.name AS name,
  A.mobileNumber AS mobileNumber, A.dob AS dob, A.registerFrom AS registerFrom, A.smAcceptYN AS smAcceptYN, A.emailCloseYN AS emailCloseYN,
  A.isSubmitted AS isSubmitted, A.pushYN AS pushYN, A.status AS status, A.grade AS grade, A.grandPoint AS grandPoint, A.usePoint AS usePoint, A.totalPoint AS totalPoint,
  A.deviceToken AS deviceToken, A.deviceType AS deviceType, A.accessToken AS accessToken, A.accessType AS accessType, A.membershipPoint AS membershipPoint,
  A.secretToken AS secretToken, A.authToken AS authToken, A.authTokenTime AS authTokenTime, ISNULL(A.barcodeImage, '') AS barcodeImage, A.virtualCardNumber AS virtualCardNumber,
  ISNULL(A.diopoterL, '') AS diopoterL, ISNULL(A.diopoterR, '') AS diopoterR, ISNULL(A.astiyN_L, '') AS astiyN_L, ISNULL(A.astiyN_R, '') AS astiyN_R, ISNULL(A.CylinderInfoL, '') AS cylinderInfoL, ISNULL(A.CylinderInfoR, '') AS cylinderInfoR,
  ISNULL(A.AxisInfoL, '') AS axisInfoL, ISNULL(A.AxisInfoR, '') AS axisInfoR, A.uuid AS uuid,
  A.acuvueUserNo AS acuvueUserNo, A.acuvueMemberSeq AS acuvueMemberSeq, A.acuvueChangeDate AS acuvueChangeDate, A.acuvuePointUpdDate AS acuvuePointUpdDate,
  A.createdDate AS createdDate, A.modifiedDate AS modifiedDate, CONVERT(VARCHAR(10), DATEADD(DAY, 30, A.modifiedDate), 20) AS modDate, CONVERT(VARCHAR(10), DATEADD(YEAR, 1, A.modifiedDate), 20) AS y
  yDate,
  A.firstPaymentDate AS firstPaymentDate, A.firstChargeDate AS firstChargeDate,
  A.cardExpiryDate AS cardExpiryDate, A.cardRegDate AS cardRegDate, A.loginFailCount AS loginFailCount, A.lastLoginDate AS lastLoginDate, A.aceAuthYN AS aceAuthYN,
  A.acuvueChangePoint AS acuvueChangePoint, A.acuvueCardNo AS acuvueCardNo, A.MktPushYN AS mktPushYN, A.ThirdPartyYN AS thirdPartyYN, A.ACMSConvertYN AS acmsConvertYN, A.MemberSeg AS memberSeg
FROM Contact A WITH(NOLOCK)
WHERE 1=1
AND A.Status = 'D'
AND ISNULL(A.CsStatus, '') != 'delete'

/*mobileNumber is null*/
ORDER BY ContactId DESC
[ 14][09:30:47.786] 93| 0| 93| 0| 0.0| + com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.executeQuery()
> DB : URL: jdbc:sqlserver://52.193.49.249:1433;authenticationScheme=NativeAuthentication;persistSecurityInfo=false;sendStringParametersAsUnicode=false;selectMethod=direct;responseBuffering=adaptive;packetSize=8000;multiStatement=
false;disableStatementPooling=true;databaseName=ACE;applicationName=Microsoft JDBC Driver for SQL Server;applicationIntent=ReadWrite
> Query : /* MemberDao.selectList */ SELECT A.contactId AS contactId, A.accountId AS accountId, A.membershipNo AS membershipNo, A.userId AS user
Id, A.userPwd AS userPwd, A.name AS name, A.mobileNumber AS mobileNumber, A.dob AS dob, A.registerFrom AS registerFrom, A.smAcceptYN AS smAcceptYN, A.emailCloseYN AS emailCloseY
N, A.isSubmitted AS isSubmitted, A.pushYN AS pushYN, A.status AS status, A.grade AS grade, A.grandPoint AS grandPoint, A.usePoint AS usePoint, A.totalPoint AS totalPoint, A.deviceToken AS deviceToken, A.d
```

해결책 : 사용자가 선택한 값이 없을 때에도 WHERE
조건절이 생성되도록 애플리케이션을 변경해야 함

#17 - Database Deadlock 오류 발생

SQL 쿼리 이슈



클라이언트 IP가 동일함

2017년 12월 21일 : Database DeadLock 오류 발생함

MS SQL Server 52.XX.XX.XX, DB에서 UPDATE 실행시 Dead Lock 발생

> SQLERRR : Transaction was deadlocked on lock resources ...

| Transaction Detail | Trace | StackTrace |
|---|-------|------------|
| <pre>BookingTime = ?, ProductCode = ?, ModifiedDate = GETDATE(), PushOn = ? WHERE contactId = ? AND id = ? [10][14:09:56.878] [7.141] [98] [7.141] [0] [0.0] + com.microsoft.sqlserver.jdbc.SQLServerPreparedStatement.execute() > DB : URL: jdbc:sqlserver://52.193.49.249:1433;authenticationScheme=nativeAuthentication;xopenStates=false;sendTimeAsDatetime=true;trustServerCertificate=false;sendStringParametersAsUnicode=false;selectMethod=direct;responseBuffering=adaptive;packetSize=8000;multiSubnetFailover=false;loginTimeout=15;lockTimeout=-1;lastUpdateCount=true;encrypt=false;disableStatementPooling=true;databaseName=ACE;applicationName=Microsoft JDBC Driver for SQL Server;applicationIntent=readwrite; > Query : /* MyCouponDao.couponRequest */ UPDATE CouponContact SET AccountId = ?, RequestDate = GETDATE(), BookingDate = ?, BookingTime = ?, ProductCode = ?, ModifiedDate = GETDATE(), PushOn = ? WHERE contactId = ? AND id = ? > Params: '8399', '2017-12-23 23:59', '', '1MA', '', '3312934', '10368248' > Mapped: /* MyCouponDao.couponRequest */ UPDATE CouponContact SET AccountId = '8399', RequestDate = GETDATE(), BookingDate = '2017-12-23 23:59', BookingTime = '', ProductCode = '1MA', ModifiedDate = GETDATE(), PushOn = '' WHERE contactId = '3312934' AND id = '10368248' > SQLERRR: Transaction (Process ID 60) was deadlocked on lock resources with another process and has been chosen as the deadlock victim. Rerun the transaction. [12][14:10:04.019] [0] [0] [0] [0] [0.0] + com.microsoft.sqlserver.jdbc.SQLServerConnection.setAutoCommit(true) [13][14:10:04.019] [0] [0] [0] [0] [0.0] + com.microsoft.sqlserver.jdbc.SQLServerConnection.setAutoCommit(true) [14][14:10:04.050] [0] [0] [0] [0] [0.0] + com.microsoft.sqlserver.jdbc.SQLServerConnection.setAutoCommit(true) [15][14:10:04.050] [0] [0] [0] [0] [0.0] + com.microsoft.sqlserver.jdbc.SQLServerConnection.setAutoCommit(true) [16][14:10:04.050] [0] [0] [0] [0] [0.0] + com.microsoft.sqlserver.jdbc.SQLServerConnection.setAutoCommit(true) > Query : /* MemberDao.selectOne */ SELECT A.contactId AS contactId, A.accountId AS accountId, CONVERT(VARCHAR(10),A.accountRegDate,121) AS accountRegDate, C.shippingName AS shippingName, A.membershipNo AS membershipNo, A.userId AS user Id, A.userPwd AS userPwd, TSMALLINT(name, A.name) AS name</pre> | | |

해결책 : 해당 테이블에 대한 INSERT와 UPDATE를
조정하여 쿼리를 튜닝하여야 함

#17 - Database 쿼리 Timeout 오류 발생

SQL 쿼리 이슈



Transactions > 2017-12-19 08:00:48 ~ 2017-12-19 08:01:36 > 8983ms ~ 9999999ms

Export to Excel

tid :



| Agent Type | Server IP | Client IP | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|---------------|---------------|-------------|----------------------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 192.168.1.224 | 211.224.7.178 | myacv-5-224 | /ecpWeb/w2/getCustomerInfo | 200 | 33,499 | 32,218 | 0 | 1 | 0 | 31.25 | 2017-12-19 17:00:23.784 |
| WAS | 192.168.1.239 | 211.224.7.178 | myacv-6-239 | /ecpWeb/w2/getCustomerInfo | 200 | 30,953 | 30,782 | 0 | 1 | 0 | 0.00 | 2017-12-19 17:00:32.396 |
| WAS | 192.168.1.191 | 211.224.7.178 | myacv-5-191 | /ecpWeb/w2/getCustomerInfo | 200 | 30,687 | 30,515 | 0 | 1 | 0 | 0.00 | 2017-12-19 17:00:38.643 |
| WAS | 192.168.1.224 | 211.224.7.178 | myacv-5-224 | /ecpWeb/w2/getCustomerInfo | 200 | 10,965 | 10,765 | 0 | 103 | 0 | 15.63 | 2017-12-19 17:00:43.330 |
| WAS | 192.168.1.52 | 211.224.7.178 | myacv-6-52 | /ecpWeb/w2/getCustomerInfo | 200 | 11,031 | 10,812 | 0 | 5 | 0 | 0.00 | 2017-12-19 17:00:44.269 |
| WAS | 192.168.1.191 | 211.224.7.178 | myacv-5-191 | /ecpWeb/w2/getCustomerInfo | 200 | 15,343 | 15,125 | 0 | 103 | 0 | 62.50 | 2017-12-19 17:00:54.612 |

2017년 12월 19일 : Database 쿼리 Timeout 오류 발생함

MS SQL Server 52.xxx.xxx.249, ACE DB에서 SELECT 실행시 쿼리 Timeout 발생

Transaction Detail

Trace

StackTrace

```
r, Convert(varchar, A.CreatedDate, 121) AS CreatedDate, /* ??? */ Convert(varchar, DATEADD(MONTH, 1, ISNULL(AcuvueChangeDate, A.CreatedDate)), 121) AS ACMSExpireDate, /* ACMS? */ CreatedDate
-> AcuvueChangeDate? ??(2015.10.21) */ Convert(varchar, GETDATE(), 121) AS CurrentDate, /* ??? */ Convert(varchar, C.EcpEyeInfoDate, 121) AS EcpEyeInfoDate, /* ??? */ Convert(varchar, DATEADD(YEAR, 1
, C.EcpEyeInfoDate), 121) AS EcpEyeInfoLastDate, /* ?? */ Replace(convert(varchar(8), GETDATE(), 112)+convert(varchar(8), GETDATE(), 114), ':', '') AS SearchStartTime, /* ??? */ A.MembershipExpire
AS MembershipStartTime, /* ??? */ '1' AS searchType /* ?? */ FROM contact A WITH(NOLOCK) LEFT OUTER JOIN contactInfo B WITH(NOLOCK) ON A.ContactId = B.ContactId LEFT OUTER JOIN contactLife C WITH(NOLOCK) ON A.ContactId = C.ContactId WHERE 1=1 AND (C.Name LIKE N'%' + ? + '%' OR A.Name LIKE N'%' + ? + '%') AND A.Status = 'N' ORDER BY A.AceAuthYn DESC

> Params:      ???, ???
> Mapped:      /* EcpTrade4CustomerDao.getCustomerInfo */ SELECT A.ContactId, /* ??? */ A.AccountId, /* */ A.MembershipNo, /* */ A.AcuvueCardNo, /* ACMS */ ISNULL(C.Name, A.Name) AS Name, /* */ C.Birth_YYYY, /* */ C.Birth_MM, /* */ C.Birth_DD, /* */ C.Birth_YYYY + '-' + C.Birth_MM + '-' + C.Birth_DD AS Birthday, A.MobileNumber, /* */
A.UserId, /* */ CASE WHEN ISNULL(C.Gender, A.Gender) = 'M' THEN N' WHEN ISNULL(C.Gender, A.Gender) = 'F' THEN N' END AS Gender, /* */ A.GrandPoint, /* */ A.UsePoint, /* */ A.TotalPoint, /*
( */ ISNULL(A.MembershipPoint, 0) AS MembershipPoint, /* */ A.DiopterL, /* diopter */ A.DiopterR, /* diopter */ A.AstiYn_L, /* astigmatism */ A.AstiYn_R, /* astigmatism */ A.CylinderInfoL, /*
Cylinder */ A.CylinderInfoR, /* Cylinder */ A.AxisInfoL, /* Axis */ A.AxisInfoR, /* Axis */ A.DeviceToken, /* */ A.UUID, /* UUID */ ISNULL(A.DeviceType, 'acms') AS DeviceType, /* Type Android,
iOS */ A.SecretToken, /* ( */ A.AcuvuePointUpDate, /* */ A.VirtualCardNumber, /* */ A.CardExpiryDate, /* */ A.CardRegDate, /* */ A.AccessType, /* sns (facebook, kakao, naver, app) */
A.AcmsConvertYn, /* ACMS YN */ A.AceAuthYn, /* ACE YN */ ISNULL(B.DeviceIdType, '') AS DeviceIdType, ISNULL(B.DeviceId, '') AS DeviceId, ISNULL(B.DeviceVer, '') AS DeviceVer, Convert(varchar, A.CreatedDate,
121) AS CreatedDate, /* */ Convert(varchar, DATEADD(MONTH, 1, ISNULL(AcuvueChangeDate, A.CreatedDate)), 121) AS ACMSExpireDate, /* ACMS CreatedDate -> AcuvueChangeDate (2015.10.21) */ Convert(varchar,
r, GETDATE(), 121) AS CurrentDate, /* */ Convert(varchar, C.EcpEyeInfoDate, 121) AS EcpEyeInfoDate, /* */ Convert(varchar, DATEADD(YEAR, 1, C.EcpEyeInfoDate), 121) AS EcpEyeInfoLastDate, /* */ Repl
ace(convert(varchar(8), GETDATE(), 112)+convert(varchar(8), GETDATE(), 114), ':', '') AS SearchStartTime, /* */ A.MembershipExpire AS MembershipStartTime, /* */ '1' AS searchType /* type - SM (1
7.10.02) */ FROM contact A WITH(NOLOCK) LEFT OUTER JOIN contactInfo B WITH(NOLOCK) ON A.ContactId = B.ContactId LEFT OUTER JOIN contactLife C WITH(NOLOCK) ON A.ContactId = C.ContactId WHERE 1=1 AND (C.Name
LIKE N'%' + ? + '%' OR A.Name LIKE N'%' + ? + '%') AND A.Status = 'N' ORDER BY A.AceAuthYn DESC

> SQLERR:      The query has timed out.
> CallAt:
```

해결책 : 쿼리를 튜닝하여야 함

Application Performance Management

#18 해킹 공격시도 분석

KHAN
[a p m]

#18 - 000 서비스의 대시보드 : 오류가 급증함

해킹 공격분석




오류가 급증하며 서비스 품질(APDEX)이
급격히 나빠지고 있음



#18 – 서비스 오류 통계 분석(일별, 시간별 분석)

해킹 공격분석



#18 - 호출 URL 파라미터와 UserAgent 분석

해킹 공격분석



Transactions > 2017-07-03 00:00:00 ~ 2017-07-04 00:00:00 > 0ms ~ 999999ms

| Agent Type | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|--------------|--|--|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | manager11 | /manage/lecture/mentor/status/excel.list.do | 500 | 542 | 207 | 299 | 156 | 0 | 259.39 | 2017-07-03 08:43:18.569 |
| WAS | school11 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 396 | 35 | 0 | 2 | 0 | 30.35 | 2017-07-03 11:21:15.580 |
| WAS | school21 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 281 | 38 | 0 | 2 | 0 | 32.70 | 2017-07-03 11:23:51.715 |
| WAS | school11 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 264 | 58 | 0 | 2 | 0 | 30.01 | 2017-07-03 11:22:22.902 |
| WAS | school21 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 261 | 40 | 0 | 2 | 0 | 30.78 | 2017-07-03 11:24:31.148 |
| WAS | school11 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 257 | 39 | 0 | 2 | 0 | 29.75 | 2017-07-03 11:23:52.031 |
| WAS | school21 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 256 | 39 | 0 | 2 | 0 | 30.78 | 2017-07-03 11:22:23.456 |
| WAS | 172.27.0.204 | school21 | /school/lecture/lectureTotal/ajax.lectureList.do | 500 | 255 | 38 | 0 | 2 | 30.37 | 2017-07-03 11:23:50.406 |

애플리케이션 검색 파라미터에 SQL 쿼리를
입력하여 공격 시도하고 있음

Transaction Detail

Trace

StackTrace

| Name | Value | Name | Value |
|----------------|---|----------------|---|
| Request URL | /school/lecture/lectureTotal/ajax.lectureList.do View URL | Params | currentPageNo=1&recordCountPerPage=9&schoolGrd=&searchStDate=2017-07-03%27%29%20UNION%20ALL%20SELECT%20NULL%2CNULL%2CNULL%2CNULL%2CNULL%20hmCN&searchEndDate=2017-07-11&grpNo=&lectTime=&lectType=&jobChrctList=&jobNo=&lectStatCd=101543&orderBy=asc&listType=1&consonantsVal=&searchKey=%EA%B5%90%EB%8F%84%EA%B4%80&isMore=falseTms=%5Bobject%20Object%5D&_id=1499047901941 |
| Request Host | mentoring.career.go.kr View Page | Status Code | 500 |
| Client IP | 211.253.133.37 User Location | User Agent | sqlmap/1.0.9.1#dev (http://sqlmap.org) |
| Start Time | 2017-07-03 11:21:15.580 | End Time | 2017-07-03 11:21:15.976 |
| Duration (ms) | 396 | CPU Time (ms) | 30.35 |
| JDBC Time (ms) | | Latency (ms) | 12.925 |
| Thread Name | Default task-45 | Thread ID | |
| IP | | Instance ID | school11 |
| Agent type | WAS | Transaction ID | 15d0640493f-6fee1c1d970b75a5da7 |
| Error Message | | | |

Load Balancer에서 'X-Forwarded-For' 헤더를
설정하면 Client IP를 수집할 수 있음

sqlmap tool을 사용함

#18 - 공격에 사용된 도구 - sqlmap

sqlmap®

Automatic SQL injection and database takeover tool

; Introduction();--

sqlmap is an open source penetration testing tool that automates the process of detecting and exploiting SQL injection flaws and taking over of database servers. It comes with a powerful detection engine, many niche features for the ultimate penetration tester and a broad range of switches lasting from database fingerprinting, over data fetching from the database, to accessing the underlying file system and executing commands on the operating system via out-of-band connections.

```
$ python sqlmap.py -u "http://debiandev/sqlmap/mysql/get_int.php?id=1" --batch
[1.0.5.63#dev]
http://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is
illegal. It is the end user's responsibility to obey all applicable local, state and fed
eral laws. Developers assume no liability and are not responsible for any misuse or damage
caused by this program

[*] starting at 17:43:06

[17:43:06] [INFO] testing connection to the target URL
[17:43:06] [INFO] heuristics detected web page charset 'ascii'
[17:43:06] [INFO] testing if the target URL is stable
[17:43:07] [INFO] target URL is stable
[17:43:07] [INFO] testing if GET parameter 'id' is dynamic
[17:43:07] [INFO] confirming that GET parameter 'id' is dynamic
[17:43:07] [INFO] GET parameter 'id' is dynamic
[17:43:07] [INFO] heuristic (basic) test shows that GET parameter 'id' might be injectable
(possible DBMS: 'MySQL')
```

; Features();--

- Full support for MySQL, Oracle, PostgreSQL, Microsoft SQL Server, Microsoft Access, IBM DB2, SQLite, Firebird, Sybase, SAP MaxDB, HSQLDB and Informix database management systems.
- Full support for six SQL injection techniques: **boolean-based blind**, **time-based blind**, **error-based**, **UNION query-based**, **stacked queries** and **out-of-band**.

Application Performance Management

#19

Java 데몬: 사용자 메소드 추적

KHAN
[a p m]

#19 - 그룹웨어 메일 발송 URL의 속도가 느림

Java 데몬 모니터링



그룹웨어의 메일 발송 URL의 속도가 느림

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gap | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|------------|--------------|---|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | | groupware_2 | /ekp/inc/eml/insertSendMail | 200 | 59,540 | 2 | 0 | 4 | 0 | 34.14 | 2017-07-14 11:29:36.212 |
| WAS | | mobilePush_2 | /MobilePush/broadcast/login.do | 200 | 58,721 | 58,509 | 2 | 3 | 0 | 590.00 | 2017-07-14 09:59:50.602 |
| WAS | | groupware_1 | /ekp/inc/emlCfg/deleteAllMail | 200 | 49,557 | 6 | 0 | 3 | 0 | 34.49 | 2017-07-14 10:22:34.755 |
| WAS | | groupware_2 | /ekp/inc/eml/insertSendMail | 200 | 43,334 | 6 | 2 | 4 | 0 | 120.51 | 2017-07-14 14:15:35.616 |
| WAS | | james1 | com.naonsoft.james.transport.maillets.LocalDelivery | 200 | 42,616 | 783 | 2 | 7 | 0 | 305.82 | 2017-07-14 14:08:54.062 |
| WAS | | james1 | com.naonsoft.james.transport.maillets.LocalDelivery | 200 | 42,615 | 692 | 3 | 7 | 0 | 410.15 | 2017-07-14 14:08:54.061 |
| WAS | | groupware_1 | /ekp/inc/eml/insertSendMail | 200 | 36,497 | 4 | 0 | 4 | 0 | 63.03 | 2017-07-14 14:07:10.170 |
| WAS | | mobilePush_2 | /MobilePush/broadcast/login.do | 200 | 32,694 | 32,478 | 0 | 3 | 0 | 590.00 | 2017-07-14 11:10:03.475 |

그룹웨어의 메일 발송(smtp) 메일 전송 API 속도가 느림

| Transaction Detail | Trace | StackTrace |
|---|--------|--|
| IL JOIN DEPT_JOB DJ ON E.EMP_ID = DJ.EMP_ID JOIN COMPANY_CMP ON MU.CMP_ID = CMP.CMP_ID JOIN POSITION_POS ON MU.POS_ID = POS.POS_ID WHERE E.EMP_ID = 'D' | | |
| [59][14:15:35.683] | 0 | 0 |
| > Fetch : | | + oracle.jdbc.driver.OraclePreparedStatement.executeQuery() |
| | | [Fetch Count: 1, Gap Time: 1ms] |
| [60][14:15:35.683] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$100() |
| [61][14:15:35.683] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$100() |
| [62][14:15:35.683] | 42,344 | 98 |
| | | + com.naon.biz.gw.email.connector.Email.sendMail() |
| [63][14:16:18.034] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$100() |
| [64][14:16:18.034] | 3 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.selectOne() |
| [65][14:16:18.034] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$100() |
| [66][14:16:18.034] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$200() |
| [67][14:16:18.034] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$300() |
| [68][14:16:18.034] | 3 | 0 |
| | | + org.apache.ibatis.session.defaults.DefaultSqlSession.selectOne() |
| [69][14:16:18.034] | 3 | 0 |
| | | + org.apache.ibatis.session.defaults.DefaultSqlSession.selectList() |
| [70][14:16:18.034] | 3 | 0 |
| | | + org.apache.ibatis.session.defaults.DefaultSqlSession.selectList() |
| [71][14:16:18.034] | 0 | 0 |
| | | + org.apache.ibatis.session.defaults.DefaultSqlSession.wrapCollection() |
| [72][14:16:18.035] | 0 | 0 |
| | | + org.apache.tomcat.dbcp.dbcp.DelegatingConnection.prepareStatement() |
| [73][14:16:18.035] | 0 | 0 |
| | | + oracle.jdbc.driver.T4CPreparedStatement.allocatePreparedStatement() |
| [74][14:16:18.035] | 1 | 0 |
| | | + org.apache.tomcat.dbcp.dbcp.DelegatingPreparedStatement.execute() |
| [75][14:16:18.035] | 1 | 0 |
| | | + org.apache.tomcat.dbcp.dbcp.DelegatingPreparedStatement.execute() |
| [76][14:16:18.035] | 1 | 0 |
| | | + oracle.jdbc.driver.OraclePreparedStatement.execute() |
| > DB : | | URL: jdbc:oracle:thin:@192.168.2.196:1521:mgdb |
| > Query : | | SELECT * FROM EML_COMPANY_PROPERTY WHERE CMP_ID = ? AND PROPERTY_NAME = ? |
| > Params : | | 'C100150521', 'admin_mail_security_use' |
| > Mapped : | | SELECT * FROM EML_COMPANY_PROPERTY WHERE CMP_ID = 'C100150521' AND PROPERTY_NAME = 'admin_mail_security_use' |
| [77][14:16:18.037] | 0 | 0 |
| > Fetch : | | + oracle.jdbc.driver.OracleResultSetImpl.next-close() |
| | | [Fetch Count: 1, Gap Time: 1ms] |
| [78][14:16:18.037] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$100() |
| [79][14:16:18.037] | 0 | 0 |
| | | + org.mybatis.spring.SqlSessionTemplate.access\$100() |
| [80][14:16:18.037] | 988 | 2 |
| | | + com.naon.biz.gw.email.connector.Email.addMessages() |

#19 - 메일 발송 데몬의 메소드별 수행시간 추적

Java 데몬 모니터링



메일 발송 Java Mail 데몬에 추가 User
Interceptor를 구성하여 메소드 추적

Transactions > 2017-07-14 07:54:45 ~ 2017-07-14 20:27:24 > 12976ms ~ 999999ms

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|------------|-------------|--|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 42,616 | 783 | 2 | 7 | 0 | 305.82 | 2017-07-14 14:08:54.062 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 42,615 | 692 | 3 | 7 | 0 | 410.15 | 2017-07-14 14:08:54.061 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 30,397 | 62 | 4 | 7 | 0 | 647.63 | 2017-07-14 16:58:39.501 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 17,208 | 647 | 3 | 7 | 0 | 220.14 | 2017-07-14 11:30:17.732 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 16,967 | 50 | 0 | 7 | 0 | 108.24 | 2017-07-14 15:31:08.226 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 16,591 | 276 | 0 | 7 | 0 | 133.17 | 2017-07-14 14:24:46.105 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 15,044 | 62 | 4 | 7 | 0 | 687.73 | 2017-07-14 11:27:04.240 |
| WAS | | james1 | com.naonsoft.james.transport.mailets.LocalDelivery | 200 | 14,944 | 936 | 3 | 7 | 0 | 178.22 | 2017-07-14 17:03:03.561 |

Transaction Detail Trace StackTrace

Agent Type WAS

Method Traces

| [Num.] | [Start Time] | [Elapsed] | [%] | [Exclusi] | [A-Gab] | [CPUtime] | Method Call |
|--------|----------------|-----------|-----|-----------|---------|-----------|--|
| [1] | [14:08:54.062] | 42,616 | 100 | 41,826 | 0 | 305.8 | + com.naonsoft.james.transport.mailets.LocalDelivery.storeMail() |
| [3] | [14:08:54.075] | 0 | 0 | 0 | 0 | 0.3 | + org.apache.commons.dbcp.BasicDataSource.getConnection() |
| [4] | [14:08:54.075] | 0 | 0 | 0 | 0 | 0.3 | + org.apache.commons.dbcp.PoolingDataSource.getConnection() |
| [5] | [14:08:54.075] | 0 | 0 | 0 | 0 | 0.2 | + org.apache.openjpa.lib.jdbc.DelegatingConnection.prepareStatement() |
| [6] | [14:08:54.075] | 0 | 0 | 0 | 0 | 0.2 | + org.apache.commons.dbcp.DelegatingConnection.prepareStatement() |
| [7] | [14:08:54.075] | 0 | 0 | 0 | 0 | 0.1 | + oracle.jdbc.driver.T4CDriverExtension.allocatePreparedStatement() |
| [8] | [14:08:54.076] | 4 | 0 | 2 | 2 | 3.4 | + org.apache.openjpa.lib.jdbc.DelegatingPreparedStatement.executeQuery() |
| [9] | [14:08:54.077] | 2 | 0 | 1 | 1 | 1.0 | + org.apache.commons.dbcp.DelegatingPreparedStatement.executeQuery() |
| [10] | [14:08:54.078] | 1 | 0 | 0 | 1 | 0.8 | + org.apache.commons.dbcp.DelegatingPreparedStatement.executeQuery() |
| [11] | [14:08:54.078] | 1 | 0 | 1 | 0 | 0.5 | + oracle.jdbc.driver.OraclePreparedStatement.executeQuery() |
| | | | | | | | > DB : URL: jdbc:oracle:thin:@192.168.2.196:1521:mgdb, User: EKPNAON_MEDIAMILL |
| | | | | | | | > Query : SELECT t0.BACKUP_YN, t0.BACKUP_STATUS, t0.PWD_HASH_ALGO, t0.BACKUP_QUOTA_SIZE, t0.BACKUP_USE_SIZE, t0.CMP_ID, t0.NAME, t0.IMAP_USE_YN, t0.PWD, t0.POP3_USE_YN, t0.QUOTA_SIZE, t0.USER_STATUS FROM EML_MAIL_USER t0 WHERE t0.EMAIL = ? |
| | | | | | | | > Params: 'soyoungs@mediawill.com' |
| | | | | | | | > Mapped: SELECT t0.BACKUP_YN, t0.BACKUP_STATUS, t0.PWD_HASH_ALGO, t0.BACKUP_QUOTA_SIZE, t0.BACKUP_USE_SIZE, t0.CMP_ID, t0.NAME, t0.IMAP_USE_YN, t0.PWD, t0.POP3_USE_YN, t0.QUOTA_SIZE, t0.USER_STATUS FROM EML_MAIL_USER t0 WHERE t0.EMAIL = 'soyoungs@mediawill.com' |
| [12] | [14:08:54.081] | 0 | 0 | 0 | 0 | 0.0 | + oracle.jdbc.driver.OracleResultSetImpl.next-close() |
| | | | | | | | > Fetch : [Fetch Count: 1, Gab Time: 0ms] |
| [13] | [14:08:54.081] | 1 | 0 | 1 | 0 | 1.0 | + org.apache.openjpa.lib.jdbc.DelegatingConnection.close() |
| [14] | [14:08:54.081] | 0 | 0 | 0 | 0 | 0.0 | + org.apache.openjpa.lib.jdbc.DelegatingConnection.close() |
| [15] | [14:08:54.083] | 199 | 0 | 0 | 199 | 0.3 | + org.apache.openjpa.lib.jdbc.DelegatingDataSource.getConnection() |

메일 발송 Java Mail 데몬의 추가
Interceptor를 구성하여 메소드 추적

#19 - 메일 발송 시간차

Java 데몬 모니터링



Transactions > 2017-07-19 08:36:58 ~ 2017-07-19 11:04:05 > 3228ms ~ 9999999ms

| Agent Type | IP address | Instance ID | URL | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|---------------|-------------|---|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 192.168.2.194 | groupware_2 | /ekp/inc/eml/insertSendMail | 200 | 12,632 | 5 | 0 | 4 | 0 | 21.82 | 2017-07-19 10:46:57.086 |
| WAS | 192.168.2.193 | groupware_1 | /ekp/inc/eml/selectMailWrite | 200 | 4,176 | 6 | 1 | 3 | 0 | 13.49 | 2017-07-19 10:47:00.304 |
| WAS | 192.168.2.193 | groupware_1 | /ekp/inc/eml/insertSendMail | 200 | 12,360 | 3 | 0 | 4 | 0 | 17.75 | 2017-07-19 10:47:05.699 |
| WAS | 192.168.2.193 | groupware_1 | /ekp/inc/eml/insertSendMail | 200 | 9,973 | 3 | 0 | 4 | 0 | 15.41 | 2017-07-19 10:47:11.122 |
| WAS | 192.168.2.194 | groupware_2 | /ekp/inc/eml/selectMailWrite | 200 | 4,176 | 6 | 1 | 3 | 0 | 15.85 | 2017-07-19 10:47:11.826 |
| WAS | 192.168.2.191 | james1 | com.naonsoft.james.transport.maillets.LocalDelivery | 200 | 3,764 | 46 | 0 | 7 | 0 | 133.98 | 2017-07-19 10:47:15.856 |
| WAS | 192.168.2.191 | james1 | com.naonsoft.james.transport.maillets.LocalDelivery | 200 | 3,764 | 46 | 0 | 7 | 0 | 132.50 | 2017-07-19 10:47:20.256 |
| WAS | 192.168.2.194 | groupware_2 | /ekp/inc/eml/insertSendMail | 200 | 12,632 | 5 | 0 | 4 | 0 | 19.51 | 2017-07-19 10:47:22.957 |

메일 서버에 실제 메일을 요청하는
부분으로 추정됨
'10:47:11.134'에 메일 발송 요청

메일 서버 데몬에서 실제 메일 발송하는 부분
'10:47:15.856'에 메일 발송 시작
발송 요청과 발송 시작 : 4.7초 차이

| Transaction Detail | Trace | StackTrace |
|---------------------|-------|------------|
| [62][10:47:11.134] | 6,929 | 70 |
| [64][10:47:18.064] | 0 | 0 |
| [65][10:47:18.064] | 0 | 0 |
| [66][10:47:18.064] | 0 | 0 |
| [67][10:47:18.064] | 0 | 0 |
| [68][10:47:18.064] | 0 | 0 |
| [69][10:47:18.064] | 0 | 0 |
| [70][10:47:18.064] | 0 | 0 |
| [71][10:47:18.064] | 0 | 0 |
| [72][10:47:18.064] | 0 | 0 |
| [73][10:47:18.064] | 0 | 0 |
| [74][10:47:18.064] | 0 | 0 |
| [75][10:47:18.064] | 0 | 0 |
| [76][10:47:18.064] | 0 | 0 |
| [77][10:47:18.065] | 0 | 0 |
| [78][10:47:18.065] | 0 | 0 |
| [79][10:47:18.065] | 0 | 0 |
| [80][10:47:18.065] | 3,028 | 30 |
| [81][10:47:21.993] | 0 | 0 |
| [82][10:47:21.993] | 0 | 0 |
| [83][10:47:21.993] | 0 | 0 |
| [84][10:47:21.993] | 0 | 0 |
| [85][10:47:21.993] | 0 | 0 |

| Transaction Detail | Trace | StackTrace |
|---------------------|-------|------------|
| [62][10:47:11.134] | 6,929 | 70 |
| [64][10:47:18.064] | 0 | 0 |
| [65][10:47:18.064] | 0 | 0 |
| [66][10:47:18.064] | 0 | 0 |
| [67][10:47:18.064] | 0 | 0 |
| [68][10:47:18.064] | 0 | 0 |
| [69][10:47:18.064] | 0 | 0 |
| [70][10:47:18.064] | 0 | 0 |
| [71][10:47:18.064] | 0 | 0 |
| [72][10:47:18.064] | 0 | 0 |
| [73][10:47:18.064] | 0 | 0 |
| [74][10:47:18.064] | 0 | 0 |
| [75][10:47:18.064] | 0 | 0 |
| [76][10:47:18.064] | 0 | 0 |
| [77][10:47:18.065] | 0 | 0 |
| [78][10:47:18.065] | 0 | 0 |
| [79][10:47:18.065] | 0 | 0 |
| [80][10:47:18.065] | 3,028 | 30 |
| [81][10:47:21.993] | 0 | 0 |
| [82][10:47:21.993] | 0 | 0 |
| [83][10:47:21.993] | 0 | 0 |
| [84][10:47:21.993] | 0 | 0 |
| [85][10:47:21.993] | 0 | 0 |

| Transaction Detail | Trace | StackTrace |
|---------------------|-------|------------|
| [62][10:47:11.134] | 6,929 | 70 |
| [64][10:47:18.064] | 0 | 0 |
| [65][10:47:18.064] | 0 | 0 |
| [66][10:47:18.064] | 0 | 0 |
| [67][10:47:18.064] | 0 | 0 |
| [68][10:47:18.064] | 0 | 0 |
| [69][10:47:18.064] | 0 | 0 |
| [70][10:47:18.064] | 0 | 0 |
| [71][10:47:18.064] | 0 | 0 |
| [72][10:47:18.064] | 0 | 0 |
| [73][10:47:18.064] | 0 | 0 |
| [74][10:47:18.064] | 0 | 0 |
| [75][10:47:18.064] | 0 | 0 |
| [76][10:47:18.064] | 0 | 0 |
| [77][10:47:18.065] | 0 | 0 |
| [78][10:47:18.065] | 0 | 0 |
| [79][10:47:18.065] | 0 | 0 |
| [80][10:47:18.065] | 3,028 | 30 |
| [81][10:47:21.993] | 0 | 0 |
| [82][10:47:21.993] | 0 | 0 |
| [83][10:47:21.993] | 0 | 0 |
| [84][10:47:21.993] | 0 | 0 |
| [85][10:47:21.993] | 0 | 0 |

| Transaction Detail | Trace | StackTrace |
|---------------------|-------|------------|
| [62][10:47:11.134] | 6,929 | 70 |
| [64][10:47:18.064] | 0 | 0 |
| [65][10:47:18.064] | 0 | 0 |
| [66][10:47:18.064] | 0 | 0 |
| [67][10:47:18.064] | 0 | 0 |
| [68][10:47:18.064] | 0 | 0 |
| [69][10:47:18.064] | 0 | 0 |
| [70][10:47:18.064] | 0 | 0 |
| [71][10:47:18.064] | 0 | 0 |
| [72][10:47:18.064] | 0 | 0 |
| [73][10:47:18.064] | 0 | 0 |
| [74][10:47:18.064] | 0 | 0 |
| [75][10:47:18.064] | 0 | 0 |
| [76][10:47:18.064] | 0 | 0 |
| [77][10:47:18.065] | 0 | 0 |
| [78][10:47:18.065] | 0 | 0 |
| [79][10:47:18.065] | 0 | 0 |
| [80][10:47:18.065] | 3,028 | 30 |
| [81][10:47:21.993] | 0 | 0 |
| [82][10:47:21.993] | 0 | 0 |
| [83][10:47:21.993] | 0 | 0 |
| [84][10:47:21.993] | 0 | 0 |
| [85][10:47:21.993] | 0 | 0 |


| Transaction Detail | Trace | StackTrace |
|---------------------|-------|------------|
| [62][10:47:11.134] | 6,929 | 70 |
| [64][10:47:18.064] | 0 | 0 |
| [65][10:47:18.064] | 0 | 0 |
| [66][10:47:18.064] | 0 | 0 |
| [67][10:47:18.064] | 0 | 0 |
| [68][10:47:18.064] | 0 | 0 |
| [69][10:47:18.064] | 0 | 0 |
| [70][10:47:18.064] | 0 | 0 |
| [71][10:47:18.064] | 0 | 0 |
| [72][10:47:18.064] | 0 | 0 |
| [73][10:47:18.064] | 0 | 0 |
| [74][10:47:18.064] | 0 | 0 |
| [75][10:47:18.064] | 0 | 0 |
| [76][10:47:18.064] | 0 | 0 |
| [77][10:47:18.065] | 0 | 0 |
| [78][10:47:18.065] | 0 | 0 |
| [79][10:47:18.065] | 0 | 0 |
| [80][10:47:18.065] | 3,028 | 30 |
| [81][10:47:21.993] | 0 | 0 |
| [82][10:47:21.993] | 0 | 0 |
| [83][10:47:21.993] | 0 | 0 |
| [84][10:47:21.993] | 0 | 0 |
| [85][10:47:21.993] | 0 | 0 |

#19 - 메일서버 데몬의 JVM CPU 사용율

Java 데몬 모니터링



아무런 작업이 없어도 JVM CPU를
30~40%가량 사용하고 있음




#19 - 메일서버 데몬의 스레드 개수 분석

Java 데몬 모니터링



아무런 작업이 없어도
실행중인 스레드가 6,414개이며,
대기중인 스레드가 4,173개.

총 10,624개의 스레드를 사용중



#19 - 메일 서버 데몬의 스레드 덤프 분석

Java 데몬 모니터링



총 6403개의 Netty의 New I/O worker 스레드

데이터 처리를 기다리는 상태(RUNNING)

Thread Dump Analyzer > None

All Fields

Analyze From Text

| # | Lin... | Type | Name | State | URL |
|------|---------|--------|----------------------|----------|-----|
| 6140 | 1,155 | Thread | New I/O worker #6395 | RUNNABLE | |
| 6141 | 1,131 | Thread | New I/O worker #6396 | RUNNABLE | |
| 6142 | 1,107 | Thread | New I/O worker #6397 | RUNNABLE | |
| 6143 | 1,083 | Thread | New I/O worker #6398 | RUNNABLE | |
| 6144 | 1,059 | Thread | New I/O worker #6399 | RUNNABLE | |
| 6145 | 153,... | Thread | New I/O worker #64 | RUNNABLE | |
| 6146 | 139,... | Thread | New I/O worker #640 | RUNNABLE | |
| 6147 | 1,035 | Thread | New I/O worker #6400 | RUNNABLE | |
| 6148 | 1,011 | Thread | New I/O worker #6401 | RUNNABLE | |
| 6149 | 987 | Thread | New I/O worker #6402 | RUNNABLE | |
| 6150 | 139,... | Thread | New I/O worker #641 | RUNNABLE | |
| 6151 | 139,... | Thread | New I/O worker #642 | RUNNABLE | |
| 6152 | 139,... | Thread | New I/O worker #643 | RUNNABLE | |
| 6153 | 139,... | Thread | New I/O worker #644 | RUNNABLE | |
| 6154 | 139,... | Thread | New I/O worker #645 | RUNNABLE | |
| 6155 | 139,... | Thread | New I/O worker #646 | RUNNABLE | |
| 6156 | 139,... | Thread | New I/O worker #647 | RUNNABLE | |
| 6157 | 139,... | Thread | New I/O worker #648 | RUNNABLE | |
| 6158 | 139,... | Thread | New I/O worker #649 | RUNNABLE | |
| 6159 | 153,... | Thread | New I/O worker #65 | RUNNABLE | |

Record ID: 29939

6,139-6,166 of 40,570

Thread Dump Text > None

```
985 - <0x0000006dada3ff8> (a java.util.concurrent.ThreadPoolExecutor$Worker)
986
987 "New I/O worker #6402" #10885 prio=5 os_prio=0 tid=0x00007f40eddd800 nid=0xf58 runn
988 java.lang.Thread.State: RUNNABLE
989   at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
990   at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
991   at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:79)
992   at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
993   - locked <0x0000006dad775b0> (a sun.nio.ch.Util$2)
994   - locked <0x0000006dad775a0> (a java.util.Collections$UnmodifiableSet)
995   - locked <0x0000006dad77488> (a sun.nio.ch.EPollSelectorImpl)
996   at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
997   at org.jboss.netty.channel.socket.nio.SelectorUtil.select(SelectorUtil.java:68)
998   at org.jboss.netty.channel.socket.nio.AbstractNioSelector.select(AbstractNioSele
999   at org.jboss.netty.channel.socket.nio.AbstractNioSelector.run(AbstractNioSele
1000   at org.jboss.netty.channel.socket.nio.AbstractNioWorker.run(AbstractNioWorker.jav
1001   at org.jboss.netty.channel.socket.nio.NioWorker.run(NioWorker.java:178)
1002   at org.jboss.netty.util.ThreadRenamingRunnable.run(ThreadRenamingRunnable.java:10
1003   at org.jboss.netty.util.internal.DeadLockProofWorker$1.run(DeadLockProofWorker.ja
1004   at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142
1005   at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617
1006   at java.lang.Thread.run(Thread.java:745)
1007
1008 Locked ownable synchronizers:
1009   - <0x0000006dad772a0> (a java.util.concurrent.ThreadPoolExecutor$Worker)
1010
1011 "New I/O worker #6401" #10884 prio=5 os_prio=0 tid=0x00007f40edeb2000 nid=0xf57 runna
1012 java.lang.Thread.State: RUNNABLE
1013   at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
1014   at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
1015   at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:79)
1016   at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
1017   - locked <0x0000006dad77e78> (a sun.nio.ch.Util$2)
1018   - locked <0x0000006dad77e68> (a java.util.Collections$UnmodifiableSet)
1019   - locked <0x0000006dad77d50> (a sun.nio.ch.EPollSelectorImpl)
1020   at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
1021   at org.jboss.netty.channel.socket.nio.SelectorUtil.select(SelectorUtil.java:68)
1022   at org.jboss.netty.channel.socket.nio.AbstractNioSelector.select(AbstractNioSele
1023   at org.jboss.netty.channel.socket.nio.AbstractNioSelector.run(AbstractNioSele
1024
```

#19 - 메일 서버 데몬의 스레드 덤프 분석

Java 데몬 모니터링



총 4095개의 ActiveMQ Consumer 스레드

데이터 처리를 기다리는 상태(WAITING)

Q Thread Dump Analyzer > None

III

All Fields

Analyze From Text

| # | Lin... | Type | Name | State | URL |
|------|---------|--------|-------------------------------|---------|-----|
| 9979 | 155,... | Thread | Remote delivery thread (4084) | WAITING | |
| 9980 | 155,... | Thread | Remote delivery thread (4085) | WAITING | |
| 9981 | 155,... | Thread | Remote delivery thread (4086) | WAITING | |
| 9982 | 155,... | Thread | Remote delivery thread (4087) | WAITING | |
| 9983 | 155,... | Thread | Remote delivery thread (4088) | WAITING | |
| 9984 | 155,... | Thread | Remote delivery thread (4089) | WAITING | |
| 9985 | 210,... | Thread | Remote delivery thread (409) | WAITING | |
| 9986 | 155,... | Thread | Remote delivery thread (4090) | WAITING | |
| 9987 | 155,... | Thread | Remote delivery thread (4091) | WAITING | |
| 9988 | 155,... | Thread | Remote delivery thread (4092) | WAITING | |
| 9989 | 155,... | Thread | Remote delivery thread (4093) | WAITING | |
| 9990 | 155,... | Thread | Remote delivery thread (4094) | WAITING | |
| 9991 | 155,... | Thread | Remote delivery thread (4095) | WAITING | |
| 9992 | 210,... | Thread | Remote delivery thread (41) | WAITING | |
| 9993 | 210,... | Thread | Remote delivery thread (410) | WAITING | |
| 9994 | 210,... | Thread | Remote delivery thread (411) | WAITING | |
| 9995 | 210,... | Thread | Remote delivery thread (412) | WAITING | |
| 9996 | 210,... | Thread | Remote delivery thread (413) | WAITING | |
| 9997 | 210,... | Thread | Remote delivery thread (414) | WAITING | |

Record ID: 36383

Thread Dump Text > None

```
155373 - <0x00000006d378dd0> (a java.util.concurrent.ThreadPoolExecutor$Worker)
155374
155375 "Remote delivery thread (4095)" #4286 prio=5 os_prio=0 tid=0x00007f4a52aea800 nid=0
155376 java.lang.Thread.State: WAITING (on object monitor)
155377 at java.lang.Object.wait(Native Method)
155378 at java.lang.Object.wait(Object.java:502)
155379 at org.apache.activemq.SimplePriorityMessageDispatchChannel.dequeue(SimplePrior
155380 - locked <0x0000000796ddc298> (a java.lang.Object)
155381 at org.apache.activemq.ActiveMQMessageConsumer.dequeue(ActiveMQMessageConsumer.
155382 at org.apache.activemq.ActiveMQMessageConsumer.receive(ActiveMQMessageConsumer.
155383 at org.apache.james.queue.jms.JMSMailQueue.dequeue(JMSMailQueue.java:110)
155384 at com.naonsoft.james.transport.maillets.RemoteDelivery.run(RemoteDelivery.java:
155385 at java.lang.Thread.run(Thread.java:745)
155386
155387 Locked ownable synchronizers:
155388 - None
155389
155390 "Remote delivery thread (4094)" #4285 prio=5 os_prio=0 tid=0x00007f4a52ae8800 nid=0
155391 java.lang.Thread.State: WAITING (on object monitor)
155392 at java.lang.Object.wait(Native Method)
155393 at java.lang.Object.wait(Object.java:502)
155394 at org.apache.activemq.SimplePriorityMessageDispatchChannel.dequeue(SimplePrior
155395 - locked <0x000000076e902910> (a java.lang.Object)
155396 at org.apache.activemq.ActiveMQMessageConsumer.dequeue(ActiveMQMessageConsumer.
155397 at org.apache.activemq.ActiveMQMessageConsumer.receive(ActiveMQMessageConsumer.
155398 at org.apache.james.queue.jms.JMSMailQueue.dequeue(JMSMailQueue.java:110)
155399 at com.naonsoft.james.transport.maillets.RemoteDelivery.run(RemoteDelivery.java:
155400 at java.lang.Thread.run(Thread.java:745)
155401
155402 Locked ownable synchronizers:
155403 - None
155404
155405 "Remote delivery thread (4093)" #4284 prio=5 os_prio=0 tid=0x00007f4a52ae8800 nid=0
155406 java.lang.Thread.State: WAITING (on object monitor)
155407 at java.lang.Object.wait(Native Method)
155408 at java.lang.Object.wait(Object.java:502)
155409 at org.apache.activemq.SimplePriorityMessageDispatchChannel.dequeue(SimplePrior
155410 - locked <0x00000007863be080> (a java.lang.Object)
155411 at org.apache.activemq.ActiveMQMessageConsumer.dequeue(ActiveMQMessageConsumer.
155412 at org.apache.activemq.ActiveMQMessageConsumer.receive(ActiveMQMessageConsumer.
155413 at org.apache.james.queue.jms.JMSMailQueue.dequeue(JMSMailQueue.java:110)
155414 at com.naonsoft.james.transport.maillets.RemoteDelivery.run(RemoteDelivery.java:
155415 at java.lang.Thread.run(Thread.java:745)
```

Thread가 너무 많아 Thread간의 Context

Switching 비용이 너무 큼

Thread Dump


Application Performance Management

#20 URL 호출이 느림

KHAN
[a p m]


#20 - 서비스 대시보드의 처리 현황

Server Slowdown 현상



#20 - 인스턴스의 Pending Request 급증

Server Slowdown 현상



#20 - 특정 URL 에서 느린 것을 확인

Server Slowdown 현상



2017-10-30 /popup/simple/xxx/send.do URL에서

500초 이상 수행

| Agent Type | IP address | Instance ID | Status | Duration(ms) | SQL Time(ms) | Fetch Gab | Fetch Count | External Time | CPU Time(ms) | Start Time |
|------------|-----------------|-------------|--------|--------------|--------------|-----------|-------------|---------------|--------------|-------------------------|
| WAS | 192.168.110.102 | cid11 | 200 | 546,577 | 273 | 0 | 3 | 0 | 9.76 | 2017-10-30 11:18:54.160 |
| WAS | 192.168.110.102 | cid11 | 200 | 545,970 | 321 | 0 | 3 | 0 | 10.61 | 2017-10-30 11:18:54.093 |
| WAS | 192.168.110.102 | cid11 | 200 | 517,356 | 324 | 1 | 3 | 0 | 8.77 | 2017-10-30 11:18:53.357 |
| WAS | 192.168.110.102 | cid11 | 200 | 516,302 | 48 | 0 | 3 | 0 | 12.76 | 2017-10-30 11:18:53.734 |
| WAS | 192.168.110.102 | cid11 | 200 | 487,126 | 299 | 0 | 3 | 0 | 10.22 | 2017-10-30 11:18:53.557 |
| WAS | 192.168.110.102 | cid11 | 200 | 486,414 | 247 | 1 | 3 | 0 | 10.44 | 2017-10-30 11:18:53.599 |
| WAS | 192.168.110.102 | cid11 | 200 | 457,148 | 303 | 0 | 3 | 0 | 10.83 | 2017-10-30 11:18:53.525 |
| WAS | 192.168.110.102 | cid11 | 200 | 456,510 | 4 | 0 | 3 | 0 | 10.81 | 2017-10-30 11:18:53.483 |
| WAS | 192.168.110.102 | cid11 | 200 | 427,301 | 143 | 0 | 3 | 0 | 10.82 | 2017-10-30 11:18:53.340 |

Method Traces

```
=====
[Num.][ Start Time | Elapsed] % | Excludi | A-Gab | CPUtime]      Method Call
-----
[ 1][11:18:54.160] 546,577 | 100 |      0 |      0 | 9.8] + org.apache.catalina.connector.CoyoteAdapter.service()
[ 2][11:18:54.160] 546,577 | 100 |      0 | 546,577 | 9.4] + kcb.core.filter.CorsFilter.doFilter()
[ 3][11:18:54.160] 546,577 | 100 |      0 | 546,577 | 9.4] + org.springframework.boot.web.support.ErrorPageFilter.doFilter()
[ 4][11:18:54.160] 546,577 | 100 |      0 | 546,577 | 9.2] + kcb.core.xss.XssWhitelistFilter.doFilter()
[ 5][11:18:54.160] 546,577 | 100 |      0 | 546,577 | 9.2] + kcb.core.filter.MultiThreadHttpServletRequestFilter.doFilter()
[ 6][11:18:54.160] 546,577 | 100 |      0 | 546,577 | 9.1] + org.springframework.web.servlet.FrameworkServlet.service()
[ 7][11:18:54.160] 546,577 | 100 | 546,304 | 273 | 9.0] + org.springframework.web.servlet.DispatcherServlet.doService()
[ 8][11:18:54.161] 272 |      0 |      0 | 272 | 6.2] + net.sf.log4jdbc.log4jdbcpooledsource.getConnection()
[ 9][11:18:54.161] 272 |      0 |      0 | 272 | 6.2] + org.apache.commons.dbcp2.BasicDataSource.getConnection()
[10][11:18:54.161] 272 |      0 | 270 | 2 | 6.1] + org.apache.commons.dbcp2.PoolingDataSource.getConnection()
[11][11:18:54.431] 2 |      0 | 2 |      0 | 6.1] + oracle.jdbc.driver.OraclePreparedStatement.executeQuery()
> DB :
URL: jdbc:oracle:thin:@192.168.110.23:1521:TPINS
SELECT 1 FROM DUAL
=====
```


Opennaru, Inc. © 2016, All Rights Reserved. Version : 5.1.0, Build : 3428, Time : 2017-09-15 10:59:13 [User Guide]

#20 - 문제 인스턴스의 URL 호출 분석

Server Slowdown 현상




.../xxx/send.do가 평균 응답시간이 제일
느리며, 오류 응답도 많음



#20 - 인스턴스의 스레드 덤프 분석

Server Slowdown 현상



Pending Reqeust가 Apache Commons

Thread Dump List

Http Client Pool에서 Connection을 가져오려고 기다리고 있음

Thread Dump

HttpClient Pool의 개수 조절 필요

HttpClient Pool의 Timeout 설정 필요

Application Performance Management

**“ IF YOU CAN’T MEASURE IT
YOU CAN’T MANAGE IT. ”**

- Peter Drucker

KHAN
[a p m]

Application Performance Management

감사합니다.

KHAN
[a p m]



제품이나 서비스에 관한 문의

콜 센터 : 02-469-5426 (휴대폰 : 010-2243-3394)

전자 메일 : sales@opennaru.com